

Opportunities for Cancer Control

An overview of screen-detectable and tobacco-related cancer in New Mexico



Prepared by the New Mexico Tumor Registry for the New Mexico Department of Health

February 1, 2013

TABLE OF CONTENTS

Introduction	1
Methods	
Data Sources.....	1
Stage of Disease at Diagnosis	4
New Mexico Public Health Regions.....	4
Incidence Rates.....	5
Mortality Rates	6
References	6
New Mexico Statewide Incidence and Stage at Diagnosis for Screen-Detectable Cancers	
Female Breast Cancer.....	9
Colorectal Cancer.....	10
Cervical Cancer.....	11
County Level Incidence, Mortality, and Stage at Diagnosis for Screen-Detectable Cancers	
Bernalillo.....	12
Catron.....	15
Chaves	18
Cibola	21
Colfax	24
Curry.....	27
De Baca.....	30
Doña Ana	33
Eddy	36
Grant	39
Guadalupe.....	42
Harding.....	45
Hidalgo	48
Lea	51

Lincoln	54
Los Alamos.....	57
Luna	60
McKinley.....	63
Mora	66
Otero	69
Quay.....	72
Rio Arriba	75
Roosevelt	78
San Juan	81
San Miguel	84
Sandoval	87
Santa Fe.....	90
Sierra.....	93
Socorro.....	96
Taos	99
Torrance	102
Union.....	105
Valencia.....	108

New Mexico Statewide Incidence and Mortality for Tobacco-Related Cancers

Cancer of the Lung and Bronchus.....	111
Cancer of the Urinary Bladder	112
Cancer of the Oral Cavity and Pharynx	113

INTRODUCTION

Cancer is a leading cause of illness and death in New Mexico [01]. It is estimated that approximately 9,600 new cancer cases and 3,500 cancer deaths will occur among New Mexico residents in 2012 [02]. Cancer incidence and mortality rates vary – sometimes dramatically – among the state’s diverse populations. New Mexico non-Hispanic whites, for example, have cancer patterns that are generally similar to non-Hispanic white populations nationwide. In contrast, New Mexico Hispanics and American Indians are at lower risk than non-Hispanic whites for several common types of cancer, including those arising in the prostate, female breast, and lung. For these reasons, it is useful to characterize the burden of specific types of cancer independently for each of these groups.

Effective public health measures – including early detection (screening) and tobacco control strategies - are available to diminish the burden of several common types of cancer. The United States Preventive Services Task Force presently recommends screening for cancers of the female breast [03], colon and rectum [04], and uterine cervix [05]. Successful screening programs can reduce mortality for these three types of cancer and can, in some instances, actually prevent the occurrence of disease by removing pre-cancerous lesions.

Unfortunately, tobacco remains the leading preventable cause of cancer-related death [06] nearly 50 years after the United States Surgeon General issued a comprehensive report documenting the health hazards of smoking [07]. There is a continuing need to focus tobacco control efforts on those populations with a disproportionate burden of tobacco-related cancers.

This document presents statewide and county-specific data for cancers that are amenable to public health interventions. The report was designed to enable public health professionals and other community members to identify and document opportunities for cancer prevention and control in our state.

METHODS

Data Sources

Information presented in this document was compiled from the New Mexico Tumor Registry [08] and the National Center for Health Statistics [09]. Denominators for incidence and mortality rate calculations were derived from U.S. Census Bureau figures [10].

The New Mexico Tumor Registry is a population-based cancer registry that has served the state of New Mexico since 1966 [08]. The NMTR is a founding member of the National Cancer Institute’s Surveillance, Epidemiology and End Results (SEER) Program [11]. Cancer surveillance in New Mexico is conducted in accordance with

prevailing standards established by the National Cancer Institute [12], the North American Association of Central Cancer Registries [13], and the American College of Surgeons [14].

The NMTR collaborates with health care providers in New Mexico to identify incident cancer cases through routine and systematic review existing records such as pathology reports, medical records, radiation therapy records, hospital discharge lists, and vital records. Tumor characteristics including histology, grade, and primary site were coded according to the Third Edition of the International Classification of Disease for Oncology [15]. Patient characteristics including age at diagnosis, gender, and race/ethnicity were ascertained from specific statements in medical records, reports from private pathology laboratories and radiotherapy units, and death certificates.

Incidence rates and staging summaries in this report are based on records of incident cancer cases that were diagnosed among New Mexico residents during the ten-year time period 2000-2009. The specific types of cancer that were included in this report – along with corresponding selection criteria – are summarized in Table 1.

Information regarding deaths due to cancer among New Mexico residents was obtained from the National Center for Health Statistics at the Centers for Disease Control and Prevention [09]. Death certificates issued by individual states, including New Mexico, are routinely submitted to the National Center for Health Statistics for the purpose of monitoring trends in mortality rates for the United States. Due to policies of the National Center for Health Statistics, mortality data were available for the years 1999-2009 – so that mortality rates in this report were calculated for a slightly different time period than were incidence rates. During this time period, cause of death was coded in accordance with the Tenth Revision of the International Statistical Classification of Diseases and Health Related Problems [16]. The specific cancer causes of death that were included in this report – along with corresponding selection criteria – are summarized in Table 1.

Denominators for rate calculations were derived from annual population estimates for the United States (US) by race, sex, and 5-year age group that were produced by the United States Census Bureau [10].

Table 1
Selection Criteria for Types of Cancer Included in this Report

Category	Type of Cancer	Selection Criteria	
		ICDO-3 Site Codes (Incidence)	ICD-10 Codes (Mortality)
Screening Recommended	Female Breast *	C50.0-C50.9	C50
	Colon and Rectum *	C18.0-C18.9, C26.0 C19.9 C20.9	C18, C26.0 C19 C20
	Cervix *	C53.0-C53.9*	C53
Tobacco-Related	Lung and Bronchus *	C34.0-C34.9	C34
	Oral Cavity and Pharynx *	C00.0-C00.9 C01.9-C02.9 C07.9-C08.9 C04.0-C04.9 C03.0-C03.9 C05.0-C05.9 C06.0-C06.9 C11.0-C11.9 C09.0-C09.9 C10.0-C10.9 C12.9 C13.0-C13.9 C14.0 C14.2-C14.8	C00 C01-C02 C07-C08 C04 C03 C05-C06 C11 C09 C10 C12-C13 C14
	Bladder **	C67.0-C67.9	C67

* Excluding histology codes 9590-9989 (lymphoma), 9050-9055 (mesothelioma), and 9140 (Kaposi's sarcoma). Analysis restricted to cases with malignant behavior; in situ cancers excluded.

**Excluding histology codes 9590-9989 (lymphoma), 9050-9055 (mesothelioma), and 9140 (Kaposi's sarcoma). By prevailing convention, analysis of bladder cancer cases includes both in situ and malignant behaviors

Stage of Disease at Diagnosis

Staging is a process that tells the physician and patient how far the cancer has spread in the body. Staging is usually determined at the time of diagnosis, but may also be assessed at subsequent times during the patient’s cancer experience. Stage of disease is a key prognostic factor and often dictates the type of the therapy that will be administered.

The “SEER Summary Stage” classification scheme was utilized to characterize the stage of disease at diagnosis among incident cancer cases that were diagnosed among New Mexico residents during the time period 2000-2009 [17]. The categories of staging in this scheme are summarized in Table 2.


Table 2 Staging Categories	
Stage	Description
Local	Cancer is found only in the organ where it started to grow
Regional	Cancer has spread to surrounding tissues or lymph nodes
Distant	Cancer has spread to organs and body systems other than those adjacent to the site of origin
Unknown	Unable to determine the extent of disease spread

The stage distribution in each county was compared with stage distribution of the remaining counties in New Mexico-combined using the chi-squared statistic [18]; these differences were calculated for all races/ethnic groups-combined and individually for each race/ethnic group. Following standard convention, we labeled differences as “statistically significant” when the p-value corresponding to the chi-square statistic reached an alpha-level of 0.05 or less [18]. Statistical analyses of stage were conducted with standard modules from the Statistical Analysis System, Version 9.1.3 (SAS Institute, Cary, NC).

New Mexico Public Health Regions

Data in this report are presented by individual counties, by five Public Health Regions defined by the New Mexico Department of Health (Figure 1), and statewide.

Figure 1.
New Mexico Counties and Public Health Regions



Incidence Rates

The *incidence rate* is a useful tool for comparing and contrasting the occurrence of cancer among geographic areas and racial/ethnic groups [19]. In the present context, incidence rates measure the “speed” or “velocity” at which members of the target population – New Mexico residents - are diagnosed with cancer during a defined time period.

Cancer can occur at any age, but a majority of cancer cases are diagnosed among older adults. Comparing cancer rates between two or more populations can be misleading if the underlying age distributions vary among the comparison populations. All incidence rates presented in this document were “age-adjusted” by a common statistical procedure [20] to account for such differences.

Average annual age-adjusted incidence rates were calculated by the direct method [19] and were standardized to the age-distribution of the projected US population for calendar year 2000 [20]. Incidence rates were calculated with the National Cancer Institute’s SEER*Stat software system [21].

Mortality Rates

Mortality rates are analogous to the incidence rates that were described in the previous section of this report. In contrast to incidence rates, however, deaths due to a specific cancer serve as the numerator in mortality rates. Thus, mortality rates measure the “speed” or “velocity” at which members of the target population – New Mexico residents – died from the specified cancer during a defined time period.

As with incidence rates, average annual age-adjusted mortality rates were calculated by the direct method [19] and were standardized to the age-distribution of the projected US population for calendar year 2000 [20]. Mortality rates were also calculated with the National Cancer Institute’s SEER*Stat software system [21].

REFERENCES

01. Bureau of Vital Records and Health Statistics, State Center for Health Statistics, New Mexico Department of Health. New Mexico Selected Health Statistics. Available on-line at the following URL (last accessed August 27, 2012): http://vitalrecordsnm.org/reports/2010_AR.pdf .
02. American Cancer Society. Cancer Facts & Figures 2012. Atlanta: American Cancer Society; 2012.
03. US Preventive Services Task Force. Screening for Breast Cancer: US Preventive Services Task Force Recommendation Statement. *Ann Int Med* 2009; 151:716-726.
04. US Preventive Services Task Force. Screening for Colorectal Cancer: US Preventive Services Task Force Recommendation Statement. *Ann Int Med* 2008; 149:627-637.
05. Moyer VA, US Preventive Services Task Force. Screening for Cervical Cancer: US Preventive Services Task Form Recommendation Statement. *Ann Int Med* 2012; 156:880-891.
06. Danaei G, Ding EL, Mozaffarian D, Taylor B, Rehm J, Murray CJL, Ezzati M. The preventable causes of death in the United States: Comparative risk assessment of dietary, lifestyle, and metabolic risk factors. *PLoS Medicine* 2009; 6:e1000058.
07. US Department of Health, Education, and Welfare. Smoking and Health: Report of the Advisory Committee to the Surgeon General of the Public Health Service. Washington: US Department of Health, Education, and Welfare, Public Health Service, Center of Disease Control, 1964. PHS Publication No. 1103.



08. Wiggins CL, Williams V, Key CR. *USA, New Mexico*. In: Curado MP, Edwards B, Shin HR, Storm H, Ferlay J, Heanue M, and Boyle P (Editors): Cancer Incidence in Five Continents, Volume IX. IARC Scientific Publications No. 160. International Agency for Research on Cancer, World Health Organization. Lyon, France. 2007.
09. Surveillance, Epidemiology, and End Results (SEER) Program (www.seer.cancer.gov) SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1990-2009) <Katrina/Rita Population Adjustment> - Linked To County Attributes - Total U.S., 1969-2010 Counties, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2012. Underlying mortality data provided by NCHS (www.cdc.gov/nchs).
10. Surveillance, Epidemiology, and End Results (SEER) Program. U.S. population data 1969-2009. Underlying census data provided by the U.S. Census Bureau (www.census.gov). Last accessed on June 1, 2012 from the following URL: <http://seer.cancer.gov/popdata/download.html>.
11. Hankey BF, RL, Edwards BK. The Surveillance, Epidemiology, and End Results Program: A national resource. *Cancer Epidemiology Biomarkers and Prevention* 1999; 8:1117-1121.
12. Adamo MB, Johnson CH, Ruhl JL, Dickie, LA, (Editors). *2011 SEER Program Coding and Staging Manual*. NIH Publication number 11-5581. National Cancer Institute. Bethesda, Maryland. 2011.
13. Thornton ML (Editor). *Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Record Layout Version 13, 17th Edition*. North American Association of Central Cancer Registries. Springfield, Illinois. June 2012.
14. American College of Surgeons. *Facility Oncology Registry Data Standards (FORDS)*. Chicago, Illinois. 2012.
15. Fritz A, Percy C, Jack A, Shanmugaratnum K, Sobin L, Parkin DM, Whelan S (Editors). *International Classification of Diseases for Oncology, Third Edition*. World Health Organization. Geneva, Switzerland. 2000.
16. World Health Organization. *International Statistical Classification of Diseases and Related Health Problems, Tenth Revision*. Geneva, Switzerland. 1992.
17. Shambaugh EM, Weiss MA, Axtell LM (Editors). *Summary Staging Guide: Cancer Surveillance, Epidemiology, and Ends Results Reporting*. National Cancer Institute. Bethesda, Maryland. 1977.

18. Zar JH. Biostatistical Analysis, Fifth Edition. Prentice Hall/Pearson. Upper Saddle River, New Jersey. 2010.
19. Rothman KJ, Greenland S, and . Modern Epidemiology, Third Edition 1998:260-261.
20. Klein RJ SC. Age adjustment using the 2000 projected U.S. population. Healthy People 2010 Statistical Notes. No 20. Hyattsville, Maryland: National Center for Health Statistics. January 2001.
21. Surveillance Research Program, National Cancer Institute SEER*Stat software, Version 7.0.9. Accessed on June 1, 2010 at the following URL:
<http://www.seer.cancer.gov/seerstat>

Female Breast Cancer Incidence Rates and Stage at Diagnosis

**Average Annual Incidence Rate*
All Stages at Diagnosis**

**Percent Regional/Distant Stage at Diagnosis
(50 Years and Older)**




Race/Ethnicity	Average Annual Incidence Rate*	Average Number of New Cases per Year	Percent Regional/Distant Stage at Diagnosis (50 Years and Older)
New Mexico Residents	113.0	1,164	32.0%
Non-Hispanic White	130.0	762	30.2%
Hispanic	96.5	329	35.6%
American Indian	59.5	45	37.0%
Black	72.9	14	42.9%
Other	102.8	15	33.3%

* Rates are per 100,000 and age-adjusted to the 2000 US Standard Population


Colorectal Cancer Incidence Rates and Stage at Diagnosis

**Average Annual Incidence Rate*
All Stages at Diagnosis**



Incidence Rate (Quartiles)
 33.3-40.0 40.1-41.4 41.5-45.4 45.5-83.8

**Percent Regional/Distant Stage at Diagnosis
(50 Years and Older)**



Percent (Quartiles)
 35.0%-44.3% 44.4%-51.3% 51.4%-54.5% 54.6%-65.6%


Race/Ethnicity	Average Annual Incidence Rate*	Average Number of New Cases per Year	Percent Regional/Distant Stage at Diagnosis (50 Years and Older)
New Mexico Residents	41.7	803	51.2%
Non-Hispanic White	42.0	481	50.1%
Hispanic	43.3	262	53.2%
American Indian	30.0	39	52.6%
Black	33.2	11	61.2%
Other	49.0	10	37.5%

* Rates are per 100,000 and age-adjusted to the 2000 US Standard Population


Cervical Cancer

Incidence Rates and Stage at Diagnosis

Average Annual Incidence Rate*
All Stages at Diagnosis



Percent Regional/Distant Stage at Diagnosis
(18 Years and Older)




Race/Ethnicity	Average Annual Incidence Rate*	Average Number of New Cases per Year	Percent Regional/Distant Stage at Diagnosis (18 Years and Older)
New Mexico Residents	8.3	80	45.8%
Non-Hispanic White	7.5	36	42.1%
Hispanic	9.8	35	47.5%
American Indian	8.6	<10	55.9%
Black	5.5	<10	70.0%
Other	11.6	<10	35.3%

* Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

Bernalillo County Metro Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Bernalillo County	121.0*	389	22.6	74	63.6%	32.9%	3.5%
Metro Region	120.4	509	23.1	99	63.4%	33.1%	3.5%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Bernalillo County	139.6*	263	24.2	49	64.7%	31.6%	3.7%
Metro Region	137.3	342	25.2	66	65.1%	31.0%	3.9%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Bernalillo County	98.9	105	21.2	22	61.0%	36.3%	2.7%
Metro Region	101.0	139	21.5	28	60.4%	37.4%	2.3%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Bernalillo County	68.1	<10	11.4	<10	63.5%	34.6%	1.9%
Metro Region	62.0	11	10.1	<10	56.5%	42.4%	1.2%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Bernalillo County Metro Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Bernalillo County	40.5	239	15.3*	88	40.6%	52.5%	6.9%
Metro Region	41.6	321	16.1	121	40.5%	52.6%	7.0%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Bernalillo County	39.7*	146	14.4*	54	42.6%	50.6%	6.8%
Metro Region	41.5	199	15.6	75	41.7%	51.2%	7.1%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Bernalillo County	42.8	78	17.4	30	37.0%	57.3%	5.7%*
Metro Region	42.9	101	17.3	38	38.4%	55.7%	5.9%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Bernalillo County	29.3	<10	12.2	<10	44.4%	41.7%	13.9%
Metro Region	26.9	<10	11.4	<10	44.4%	46.0%	9.5%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Bernalillo County Metro Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Bernalillo County	6.9*	21	2.1	<10	51.2%	44.6%	4.2%
Metro Region	6.7	27	2.0	<10	53.3%	42.7%	4.0%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Bernalillo County	6.6	11	2.2	<10	54.1%	43.2%	2.7%
Metro Region	6.1	13	1.9	<10	56.7%	40.3%	3.0%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Bernalillo County	7.6*	<10	2.2	<10	48.2%	48.2%	3.6%
Metro Region	7.6	11	2.2	<10	52.7%	44.6%	2.7%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Bernalillo County	4.8	<10	0.0*	<10	57.1%	28.6%	14.3%
Metro Region	8.0	<10	-	<10	37.5%	50.0%	12.5%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Catron County Southwest Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Catron County	56.1*	<10	-	<10	60.0%	20.0%	20.0%*
Southwest Region	107.2	200	24.3	45	63.8%	32.0%	4.3%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Catron County	56.4*	<10	-	<10	72.7%	18.2%	9.1%
Southwest Region	123.8	127	26.9	29	65.6%	29.8%	4.7%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Catron County	48.9	<10	-	<10	50.0%	50.0%	0.0%
Southwest Region	89.2	67	20.4	15	59.7%	37.6%	2.8%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Catron County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southwest Region	55.7	<10	-	<10	80.0%	20.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Catron County Southwest Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Catron County	43.7	<10	18.4	<10	42.9%	39.3%	17.9%
Southwest Region	40.5	149	17.2	62	42.0%	48.4%	9.7%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Catron County	35.4	<10	-	<10	44.4%	38.9%	16.7%
Southwest Region	44.1	95	18.5	40	42.3%	47.9%	9.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Catron County	70.7	<10	-	<10	50.0%	37.5%	12.5%
Southwest Region	36.8	50	15.4	20	41.9%	49.8%	8.3%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Catron County	100.9	<10	0.0	<10	0.0%	100.0%	0.0%
Southwest Region	22.6	<10	12.9	<10	41.2%	35.3%	23.5%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Catron County Southwest Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Catron County	0.0	<10	-	<10	0.0%	0.0%	0.0%
Southwest Region	10.9	18	3.1	<10	43.1%	47.0%	9.9%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Catron County	0.0	<10	-	<10	0.0%	0.0%	0.0%
Southwest Region	10.0	<10	2.3	<10	43.4%	46.1%	10.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Catron County	0.0	<10	-	<10	0.0%	0.0%	0.0%
Southwest Region	12.3	10	4.0	<10	43.3%	47.4%	9.3%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Catron County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southwest Region	7.1	<10	-	<10	33.3%	66.7%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Chaves County Southeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Chaves County	107.9	38	19.9	<10	65.9%	31.5%	2.6%
Southeast Region	100.7	149	20.8	32	63.1%	32.3%	4.6%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Chaves County	115.9	28	21.8	<10	70.5%	27.4%	2.1%
Southeast Region	105.5	111	21.7	25	64.3%	31.1%	4.6%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Chaves County	95.0	10	17.4	<10	50.0%	45.6%	4.4%
Southeast Region	89.2	34	17.4	<10	57.6%	37.8%	4.6%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Chaves County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	44.7	<10	0.0	<10	100.0%	0.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Chaves County Southeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Chaves County	40.1	28	16.1	11	39.0%	53.3%	7.7%
Southeast Region	42.7	122	17.0	49	39.7%	51.7%	8.6%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Chaves County	42.8	21	15.1	<10	39.5%	52.3%	8.2%
Southeast Region	43.7	92	17.0	37	39.8%	52.2%	8.0%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Chaves County	34.6	<10	19.0	<10	37.9%	58.6%	3.5%
Southeast Region	40.9	26	16.6	10	38.6%	51.3%	10.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Chaves County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	15.4	<10	0.0	<10	60.0%	40.0%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Chaves County Southeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Chaves County	11.4	<10	4.3	<10	42.9%	48.6%	8.6%
Southeast Region	10.3	13	3.6	<10	43.9%	47.7%	8.3%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Chaves County	12.5	<10	6.2*	<10	52.4%	47.6%	0.0%
Southeast Region	9.4	<10	3.5	<10	48.0%	46.6%	5.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Chaves County	12.6	<10	-	<10	30.8%	46.2%	23.1%*
Southeast Region	13.3	<10	5.0	<10	43.1%	47.1%	9.8%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Chaves County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	5.2	<10	0.0	<10	0.0%	100.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Cibola County Northwest Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Cibola County	86.4*	12	16.5	<10	62.5%	36.4%	1.1%
Northwest Region	89.4	91	18.4	18	64.1%	33.4%	2.5%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Cibola County	122.6	<10	-	<10	70.2%	29.8%	0.0%
Northwest Region	116.5	51	21.8	10	66.7%	31.4%	1.9%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Cibola County	65.7*	<10	25.5	<10	54.6%	40.9%	4.6%
Northwest Region	81.4	11	21.8	<10	63.1%	32.1%	4.8%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Cibola County	70.1	<10	-	<10	52.6%	47.4%	0.0%
Northwest Region	61.2	27	13.0	<10	58.2%	39.4%	2.4%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Cibola County Northwest Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Cibola County	35.9	10	14.3	<10	35.4%	56.1%	8.5%
Northwest Region	40.9	74	16.4	28	39.4%	54.7%	6.0%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Cibola County	25.1*	<10	14.3	<10	28.6%	52.4%	19.1%
Northwest Region	43.3	36	15.5	13	40.0%	54.2%	5.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Cibola County	46.9	<10	19.9	<10	36.1%	58.3%	5.6%
Northwest Region	56.2	14	25.9	<10	43.4%	52.2%	4.4%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Cibola County	34.0	<10	-	<10	39.1%	56.5%	4.4%
Northwest Region	31.3	24	13.2	<10	35.3%	57.1%	7.7%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Cibola County Northwest Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Cibola County	7.2	<10	-	<10	40.0%	50.0%	10.0%
Northwest Region	7.2	<10	2.3	<10	46.7%	50.7%	2.7%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Cibola County	13.1	<10	-	<10	33.3%	50.0%	16.7%
Northwest Region	5.9	<10	-	<10	62.5%	33.3%	4.2%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Cibola County	11.6	<10	0.0	<10	50.0%	50.0%	0.0%
Northwest Region	11.0	<10	-	<10	42.9%	50.0%	7.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Cibola County	0.0*	<10	-	<10	0.0%	0.0%	0.0%
Northwest Region	8.0	<10	4.1	<10	37.8%	62.2%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Colfax County Northeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Colfax County	86.1*	<10	17.8	<10	62.9%	30.0%	7.1%
Northeast Region	120.1	208	20.4	35	67.2%	28.9%	3.9%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Colfax County	97.6	<10	18.9	<10	62.5%	31.3%	6.3%
Northeast Region	145.6	126	22.0	18	68.7%	27.3%	4.0%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Colfax County	74.9	<10	-	<10	61.9%	28.6%	9.5%
Northeast Region	98.9	76	19.6	15	64.3%	32.4%	3.2%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Colfax County	62.1	<10	0.0	<10	100.0%	0.0%	0.0%
Northeast Region	47.2	<10	14.6	<10	71.4%	25.0%	3.6%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Colfax County Northeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Colfax County	44.7	<10	20.3	<10	44.2%	41.9%	14.0%*
Northeast Region	41.8	133	16.4	49	43.8%	49.3%	6.9%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Colfax County	36.3	<10	15.2	<10	48.9%	35.6%	15.6%
Northeast Region	36.5	58	12.4	18	46.3%	45.9%	7.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Colfax County	58.4	<10	28.6	<10	37.5%	50.0%	12.5%
Northeast Region	48.1	70	20.9	29	41.8%	52.2%	6.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Colfax County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	37.7	<10	14.4	<10	45.5%	54.6%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Colfax County Northeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Colfax County	6.3	<10	-	<10	25.0%	50.0%	25.0%
Northeast Region	8.6	13	2.2	<10	47.3%	48.1%	4.6%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Colfax County	1.5	<10	-	<10	0.0%	0.0%	100.0%*
Northeast Region	7.8	<10	1.9	<10	50.0%	42.9%	7.1%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Colfax County	7.1	<10	0.0	<10	50.0%	50.0%	0.0%
Northeast Region	8.8	<10	2.4	<10	45.3%	51.6%	3.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Colfax County	110.6	<10	0.0	<10	0.0%	100.0%	0.0%
Northeast Region	12.9	<10	-	<10	50.0%	50.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Curry County Southeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Curry County	100.9	22	22.2	<10	64.3%	31.6%	4.1%
Southeast Region	100.7	149	20.8	32	63.1%	32.3%	4.6%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Curry County	109.5*	17	23.3	<10	64.2%	31.4%	4.4%
Southeast Region	105.5	111	21.7	25	64.3%	31.1%	4.6%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Curry County	71.2	<10	-	<10	63.2%	36.8%	0.0%
Southeast Region	89.2	34	17.4	<10	57.6%	37.8%	4.6%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Curry County	296.7	<10	0.0	<10	100.0%	0.0%	0.0%
Southeast Region	44.7	<10	0.0	<10	100.0%	0.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Curry County Southeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Curry County	41.4	17	15.1	<10	43.0%	51.3%	5.8%
Southeast Region	42.7	122	17.0	49	39.7%	51.7%	8.6%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Curry County	42.7	13	14.3	<10	43.9%	51.2%	4.9%
Southeast Region	43.7	92	17.0	37	39.8%	52.2%	8.0%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Curry County	41.6	<10	14.1	<10	41.7%	50.0%	8.3%
Southeast Region	40.9	26	16.6	10	38.6%	51.3%	10.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Curry County	28.7	<10	0.0	<10	100.0%	0.0%	0.0%
Southeast Region	15.4	<10	0.0	<10	60.0%	40.0%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Curry County Southeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Curry County	9.1	<10	3.9	<10	42.1%	52.6%	5.3%
Southeast Region	10.3	13	3.6	<10	43.9%	47.7%	8.3%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Curry County	3.4	<10	-	<10	50.0%	50.0%	0.0%
Southeast Region	9.4	<10	3.5	<10	48.0%	46.6%	5.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Curry County	22.4*	<10	-	<10	41.7%	58.3%	0.0%
Southeast Region	13.3	<10	5.0	<10	43.1%	47.1%	9.8%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Curry County	41.8	<10	0.0	<10	0.0%	100.0%	0.0%
Southeast Region	5.2	<10	0.0	<10	0.0%	100.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

De Baca County Southeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
De Baca County	72.9	<10	-	<10	57.1%	42.9%	0.0%
Southeast Region	100.7	149	20.8	32	63.1%	32.3%	4.6%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
De Baca County	84.9	<10	-	<10	50.0%	50.0%	0.0%
Southeast Region	105.5	111	21.7	25	64.3%	31.1%	4.6%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
De Baca County	42.6	<10	-	<10	100.0%	0.0%	0.0%
Southeast Region	89.2	34	17.4	<10	57.6%	37.8%	4.6%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
De Baca County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	44.7	<10	0.0	<10	100.0%	0.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

De Baca County Southeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
De Baca County	47.3	<10	-	<10	25.0%	56.3%	18.8%
Southeast Region	42.7	122	17.0	49	39.7%	51.7%	8.6%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
De Baca County	59.4	<10	-	<10	28.6%	57.1%	14.3%
Southeast Region	43.7	92	17.0	37	39.8%	52.2%	8.0%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
De Baca County	18.4	<10	-	<10	0.0%	50.0%	50.0%*
Southeast Region	40.9	26	16.6	10	38.6%	51.3%	10.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
De Baca County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	15.4	<10	0.0	<10	60.0%	40.0%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

De Baca County Southeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
De Baca County	35.6	<10	-	<10	0.0%	66.7%	33.3%
Southeast Region	10.3	13	3.6	<10	43.9%	47.7%	8.3%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
De Baca County	35.3	<10	-	<10	0.0%	100.0%	0.0%
Southeast Region	9.4	<10	3.5	<10	48.0%	46.6%	5.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
De Baca County	16.3	<10	0.0	<10	0.0%	100.0%	0.0%
Southeast Region	13.3	<10	5.0	<10	43.1%	47.1%	9.8%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
De Baca County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	5.2	<10	0.0	<10	0.0%	100.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Doña Ana County Southwest Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Doña Ana County	115.1	104	23.6	21	65.0%	30.8%	4.2%
Southwest Region	107.2	200	24.3	45	63.8%	32.0%	4.3%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Doña Ana County	143.8*	60	28.1	12	68.3%	27.3%	4.5%
Southwest Region	123.8	127	26.9	29	65.6%	29.8%	4.7%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Doña Ana County	92.6	42	19.2	<10	59.0%	37.5%	3.5%
Southwest Region	89.2	67	20.4	15	59.7%	37.6%	2.8%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Doña Ana County	28.7	<10	-	<10	100.0%	0.0%	0.0%
Southwest Region	55.7	<10	-	<10	80.0%	20.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Doña Ana County Southwest Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Doña Ana County	40.3	69	16.0	27	41.9%	49.8%	8.2%
Southwest Region	40.5	149	17.2	62	42.0%	48.4%	9.7%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Doña Ana County	44.6	38	18.6*	16	44.1%	48.6%	7.3%
Southwest Region	44.1	95	18.5	40	42.3%	47.9%	9.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Doña Ana County	36.8*	30	13.8*	11	39.5%	52.2%	8.3%
Southwest Region	36.8	50	15.4	20	41.9%	49.8%	8.3%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Doña Ana County	6.4*	<10	-	<10	50.0%	0.0%	50.0%
Southwest Region	22.6	<10	12.9	<10	41.2%	35.3%	23.5%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Doña Ana County Southwest Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Doña Ana County	12.1*	10	3.5	<10	36.9%	50.5%	12.6%*
Southwest Region	10.9	18	3.1	<10	43.1%	47.0%	9.9%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Doña Ana County	10.5	<10	-	<10	38.7%	45.2%	16.1%*
Southwest Region	10.0	<10	2.3	<10	43.4%	46.1%	10.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Doña Ana County	14.5*	<10	4.8*	<10	37.1%	52.9%	10.0%
Southwest Region	12.3	10	4.0	<10	43.3%	47.4%	9.3%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Doña Ana County	6.7	<10	-	<10	0.0%	100.0%	0.0%
Southwest Region	7.1	<10	-	<10	33.3%	66.7%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Eddy County Southeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Eddy County	103.7	31	23.4	<10	63.7%	30.2%	6.1%
Southeast Region	100.7	149	20.8	32	63.1%	32.3%	4.6%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Eddy County	104.0*	22	22.9	<10	62.6%	32.3%	5.1%
Southeast Region	105.5	111	21.7	25	64.3%	31.1%	4.6%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Eddy County	101.4	<10	22.9	<10	69.6%	21.7%	8.7%*
Southeast Region	89.2	34	17.4	<10	57.6%	37.8%	4.6%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Eddy County	30.8	<10	0.0	<10	100.0%	0.0%	0.0%
Southeast Region	44.7	<10	0.0	<10	100.0%	0.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Eddy County Southeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Eddy County	46.6	27	19.1	11	39.0%	52.2%	8.8%
Southeast Region	42.7	122	17.0	49	39.7%	51.7%	8.6%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Eddy County	47.2	20	19.5	<10	37.6%	53.8%	8.6%
Southeast Region	43.7	92	17.0	37	39.8%	52.2%	8.0%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Eddy County	44.0	<10	16.7	<10	40.7%	50.0%	9.3%
Southeast Region	40.9	26	16.6	10	38.6%	51.3%	10.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Eddy County	38.4	<10	0.0	<10	66.7%	33.3%	0.0%
Southeast Region	15.4	<10	0.0	<10	60.0%	40.0%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Eddy County Southeast Region

Cervical Cancer




Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Eddy County	10.8	<10	4.0	<10	53.6%	39.3%	7.1%
Southeast Region	10.3	13	3.6	<10	43.9%	47.7%	8.3%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Eddy County	11.6	<10	-	<10	50.0%	38.9%	11.1%
Southeast Region	9.4	<10	3.5	<10	48.0%	46.6%	5.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Eddy County	12.0	<10	-	<10	60.0%	40.0%	0.0%
Southeast Region	13.3	<10	5.0	<10	43.1%	47.1%	9.8%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Eddy County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	5.2	<10	0.0	<10	0.0%	100.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%

[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Grant County Southwest Region Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Grant County	107.0	22	22.7	<10	63.5%	33.0%	3.6%
Southwest Region	107.2	200	24.3	45	63.8%	32.0%	4.3%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Grant County	122.9	15	26.4	<10	62.5%	33.8%	3.7%
Southwest Region	123.8	127	26.9	29	65.6%	29.8%	4.7%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Grant County	87.8	<10	18.1	<10	64.4%	32.2%	3.4%
Southwest Region	89.2	67	20.4	15	59.7%	37.6%	2.8%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Grant County	29.0	<10	0.0	<10	100.0%	0.0%	0.0%
Southwest Region	55.7	<10	-	<10	80.0%	20.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Grant County Southwest Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Grant County	40.8	17	19.0	<10	46.2%	42.4%	11.4%*
Southwest Region	40.5	149	17.2	62	42.0%	48.4%	9.7%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Grant County	39.8	10	17.5	<10	45.1%	41.8%	13.2%
Southwest Region	44.1	95	18.5	40	42.3%	47.9%	9.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Grant County	45.1	<10	22.2	<10	49.2%	41.5%	9.2%
Southwest Region	36.8	50	15.4	20	41.9%	49.8%	8.3%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Grant County	14.7	<10	0.0	<10	0.0%	100.0%	0.0%
Southwest Region	22.6	<10	12.9	<10	41.2%	35.3%	23.5%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Grant County Southwest Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Grant County	8.3	<10	-	<10	83.3%	8.3%	8.3%*
Southwest Region	10.9	18	3.1	<10	43.1%	47.0%	9.9%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Grant County	7.4	<10	-	<10	80.0%	20.0%	0.0%
Southwest Region	10.0	<10	2.3	<10	43.4%	46.1%	10.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Grant County	9.3	<10	-	<10	83.3%	0.0%	16.7%
Southwest Region	12.3	10	4.0	<10	43.3%	47.4%	9.3%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Grant County	0.0	<10	-	<10	0.0%	0.0%	0.0%
Southwest Region	7.1	<10	-	<10	33.3%	66.7%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Guadalupe County Northeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Guadalupe County	123.7	<10	39.1	<10	48.2%	48.2%	3.7%
Northeast Region	120.1	208	20.4	35	67.2%	28.9%	3.9%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Guadalupe County	163.3	<10	-	<10	60.0%	40.0%	0.0%
Northeast Region	145.6	126	22.0	18	68.7%	27.3%	4.0%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Guadalupe County	122.4	<10	46.1*	<10	45.5%	50.0%	4.6%
Northeast Region	98.9	76	19.6	15	64.3%	32.4%	3.2%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Guadalupe County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	47.2	<10	14.6	<10	71.4%	25.0%	3.6%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Guadalupe County Northeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Guadalupe County	69.3*	<10	39.3*	<10	25.8%	61.3%	12.9%
Northeast Region	41.8	133	16.4	49	43.8%	49.3%	6.9%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Guadalupe County	72.2	<10	-	<10	60.0%	40.0%	0.0%
Northeast Region	36.5	58	12.4	18	46.3%	45.9%	7.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Guadalupe County	70.8*	<10	45.4*	<10	19.2%	65.4%	15.4%*
Northeast Region	48.1	70	20.9	29	41.8%	52.2%	6.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Guadalupe County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	37.7	<10	14.4	<10	45.5%	54.6%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Guadalupe County Northeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Guadalupe County	10.2	<10	-	<10	0.0%	100.0%	0.0%
Northeast Region	8.6	13	2.2	<10	47.3%	48.1%	4.6%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Guadalupe County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	7.8	<10	1.9	<10	50.0%	42.9%	7.1%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Guadalupe County	12.3	<10	-	<10	0.0%	100.0%	0.0%
Northeast Region	8.8	<10	2.4	<10	45.3%	51.6%	3.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Guadalupe County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	12.9	<10	-	<10	50.0%	50.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Harding County Northeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Harding County	43.2	<10	0.0	<10	100.0%	0.0%	0.0%
Northeast Region	120.1	208	20.4	35	67.2%	28.9%	3.9%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Harding County	59.5	<10	0.0	<10	100.0%	0.0%	0.0%
Northeast Region	145.6	126	22.0	18	68.7%	27.3%	4.0%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Harding County	17.5	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	98.9	76	19.6	15	64.3%	32.4%	3.2%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Harding County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	47.2	<10	14.6	<10	71.4%	25.0%	3.6%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Harding County Northeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Harding County	83.8	<10	-	<10	44.4%	55.6%	0.0%
Northeast Region	41.8	133	16.4	49	43.8%	49.3%	6.9%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Harding County	88.6	<10	0.0	<10	50.0%	50.0%	0.0%
Northeast Region	36.5	58	12.4	18	46.3%	45.9%	7.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Harding County	77.5	<10	-	<10	33.3%	66.7%	0.0%
Northeast Region	48.1	70	20.9	29	41.8%	52.2%	6.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Harding County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	37.7	<10	14.4	<10	45.5%	54.6%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Harding County Northeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Harding County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	8.6	13	2.2	<10	47.3%	48.1%	4.6%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Harding County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	7.8	<10	1.9	<10	50.0%	42.9%	7.1%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Harding County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	8.8	<10	2.4	<10	45.3%	51.6%	3.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Harding County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	12.9	<10	-	<10	50.0%	50.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Hidalgo County Southwest Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Hidalgo County	83.8	<10	32.9	<10	75.0%	20.8%	4.2%
Southwest Region	107.2	200	24.3	45	63.8%	32.0%	4.3%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Hidalgo County	63.3*	<10	-	<10	50.0%	40.0%	10.0%
Southwest Region	123.8	127	26.9	29	65.6%	29.8%	4.7%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Hidalgo County	109.9	<10	-	<10	92.9%	7.1%	0.0%
Southwest Region	89.2	67	20.4	15	59.7%	37.6%	2.8%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Hidalgo County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southwest Region	55.7	<10	-	<10	80.0%	20.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Hidalgo County Southwest Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Hidalgo County	33.3	<10	-	<10	45.0%	35.0%	20.0%
Southwest Region	40.5	149	17.2	62	42.0%	48.4%	9.7%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Hidalgo County	38.5	<10	-	<10	50.0%	25.0%	25.0%*
Southwest Region	44.1	95	18.5	40	42.3%	47.9%	9.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Hidalgo County	31.0	<10	-	<10	37.5%	50.0%	12.5%
Southwest Region	36.8	50	15.4	20	41.9%	49.8%	8.3%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Hidalgo County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southwest Region	22.6	<10	12.9	<10	41.2%	35.3%	23.5%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Hidalgo County Southwest Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Hidalgo County	5.6	<10	-	<10	0.0%	50.0%	50.0%*
Southwest Region	10.9	18	3.1	<10	43.1%	47.0%	9.9%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Hidalgo County	9.4	<10	-	<10	0.0%	50.0%	50.0%*
Southwest Region	10.0	<10	2.3	<10	43.4%	46.1%	10.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Hidalgo County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southwest Region	12.3	10	4.0	<10	43.3%	47.4%	9.3%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Hidalgo County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southwest Region	7.1	<10	-	<10	33.3%	66.7%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Lea County Southeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Lea County	93.6*	27	19.0	<10	55.9%	39.4%	4.7%*
Southeast Region	100.7	149	20.8	32	63.1%	32.3%	4.6%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Lea County	94.9*	20	19.2	<10	59.0%	35.3%	5.8%
Southeast Region	105.5	111	21.7	25	64.3%	31.1%	4.6%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Lea County	81.9	<10	14.3	<10	41.2%	58.8%	0.0%*
Southeast Region	89.2	34	17.4	<10	57.6%	37.8%	4.6%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Lea County	28.8	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	44.7	<10	0.0	<10	100.0%	0.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Lea County Southeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Lea County	41.5	22	17.4	<10	34.2%	54.6%	11.2%*
Southeast Region	42.7	122	17.0	49	39.7%	51.7%	8.6%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Lea County	43.4	17	19.1	<10	34.4%	55.2%	10.4%
Southeast Region	43.7	92	17.0	37	39.8%	52.2%	8.0%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Lea County	39.7	<10	13.6	<10	28.6%	57.1%	14.3%
Southeast Region	40.9	26	16.6	10	38.6%	51.3%	10.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Lea County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	15.4	<10	0.0	<10	60.0%	40.0%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Lea County Southeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Lea County	9.8	<10	3.5	<10	34.6%	53.9%	11.5%
Southeast Region	10.3	13	3.6	<10	43.9%	47.7%	8.3%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Lea County	9.0	<10	-	<10	40.0%	46.7%	13.3%
Southeast Region	9.4	<10	3.5	<10	48.0%	46.6%	5.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Lea County	11.8	<10	-	<10	33.3%	55.6%	11.1%
Southeast Region	13.3	<10	5.0	<10	43.1%	47.1%	9.8%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Lea County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	5.2	<10	0.0	<10	0.0%	100.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Lincoln County Southeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Lincoln County	90.2*	14	21.5	<10	62.6%	27.8%	9.6%*
Southeast Region	100.7	149	20.8	32	63.1%	32.3%	4.6%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Lincoln County	94.2*	11	24.9	<10	62.5%	28.1%	9.4%*
Southeast Region	105.5	111	21.7	25	64.3%	31.1%	4.6%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Lincoln County	86.3	<10	-	<10	63.2%	26.3%	10.5%
Southeast Region	89.2	34	17.4	<10	57.6%	37.8%	4.6%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Lincoln County	40.8	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	44.7	<10	0.0	<10	100.0%	0.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Lincoln County Southeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Lincoln County	38.6	12	11.7*	<10	48.7%	46.9%	4.5%
Southeast Region	42.7	122	17.0	49	39.7%	51.7%	8.6%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Lincoln County	39.1	10	12.9	<10	49.0%	46.9%	4.2%
Southeast Region	43.7	92	17.0	37	39.8%	52.2%	8.0%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Lincoln County	33.4	<10	-	<10	46.2%	46.2%	7.7%
Southeast Region	40.9	26	16.6	10	38.6%	51.3%	10.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Lincoln County	36.1	<10	0.0	<10	0.0%	100.0%	0.0%
Southeast Region	15.4	<10	0.0	<10	60.0%	40.0%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Lincoln County Southeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Lincoln County	9.0	<10	-	<10	40.0%	50.0%	10.0%
Southeast Region	10.3	13	3.6	<10	43.9%	47.7%	8.3%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Lincoln County	9.4	<10	-	<10	42.9%	57.1%	0.0%
Southeast Region	9.4	<10	3.5	<10	48.0%	46.6%	5.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Lincoln County	10.9	<10	-	<10	33.3%	33.3%	33.3%
Southeast Region	13.3	<10	5.0	<10	43.1%	47.1%	9.8%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Lincoln County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	5.2	<10	0.0	<10	0.0%	100.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Los Alamos County Northeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Los Alamos County	128.8	14	18.9	<10	70.4%	27.8%	1.7%
Northeast Region	120.1	208	20.4	35	67.2%	28.9%	3.9%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Los Alamos County	142.5	13	17.8	<10	70.0%	28.2%	1.8%
Northeast Region	145.6	126	22.0	18	68.7%	27.3%	4.0%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Los Alamos County	70.7	<10	-	<10	80.0%	20.0%	0.0%
Northeast Region	98.9	76	19.6	15	64.3%	32.4%	3.2%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Los Alamos County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	47.2	<10	14.6	<10	71.4%	25.0%	3.6%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Los Alamos County Northeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Los Alamos County	36.0	<10	12.7	<10	46.5%	43.7%	9.9%
Northeast Region	41.8	133	16.4	49	43.8%	49.3%	6.9%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Los Alamos County	34.8	<10	10.9	<10	43.6%	45.2%	11.3%
Northeast Region	36.5	58	12.4	18	46.3%	45.9%	7.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Los Alamos County	51.0	<10	-	<10	66.7%	33.3%	0.0%
Northeast Region	48.1	70	20.9	29	41.8%	52.2%	6.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Los Alamos County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	37.7	<10	14.4	<10	45.5%	54.6%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Los Alamos County Northeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Los Alamos County	2.1*	<10	-	<10	100.0%	0.0%	0.0%
Northeast Region	8.6	13	2.2	<10	47.3%	48.1%	4.6%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Los Alamos County	2.5	<10	-	<10	100.0%	0.0%	0.0%
Northeast Region	7.8	<10	1.9	<10	50.0%	42.9%	7.1%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Los Alamos County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	8.8	<10	2.4	<10	45.3%	51.6%	3.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Los Alamos County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	12.9	<10	-	<10	50.0%	50.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%

[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population


* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Luna County

Southwest Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Luna County	87.1*	14	28.3	<10	56.7%	38.3%	5.0%
Southwest Region	107.2	200	24.3	45	63.8%	32.0%	4.3%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Luna County	88.8*	<10	31.3	<10	56.1%	36.6%	7.3%
Southwest Region	123.8	127	26.9	29	65.6%	29.8%	4.7%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Luna County	77.8	<10	22.2	<10	55.9%	44.1%	0.0%
Southwest Region	89.2	67	20.4	15	59.7%	37.6%	2.8%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Luna County	71.0	<10	0.0	<10	100.0%	0.0%	0.0%
Southwest Region	55.7	<10	-	<10	80.0%	20.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Luna County Southwest Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Luna County	36.0	13	16.5	<10	43.2%	48.8%	8.0%
Southwest Region	40.5	149	17.2	62	42.0%	48.4%	9.7%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Luna County	43.6	10	18.0	<10	44.1%	46.2%	9.7%
Southwest Region	44.1	95	18.5	40	42.3%	47.9%	9.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Luna County	25.5*	<10	14.5	<10	43.3%	53.3%	3.3%
Southwest Region	36.8	50	15.4	20	41.9%	49.8%	8.3%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Luna County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southwest Region	22.6	<10	12.9	<10	41.2%	35.3%	23.5%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Luna County Southwest Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Luna County	12.9	<10	-	<10	41.2%	58.8%	0.0%
Southwest Region	10.9	18	3.1	<10	43.1%	47.0%	9.9%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Luna County	12.5	<10	-	<10	44.4%	55.6%	0.0%
Southwest Region	10.0	<10	2.3	<10	43.4%	46.1%	10.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Luna County	11.0	<10	-	<10	42.9%	57.1%	0.0%
Southwest Region	12.3	10	4.0	<10	43.3%	47.4%	9.3%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Luna County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southwest Region	7.1	<10	-	<10	33.3%	66.7%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

McKinley County Northwest Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
McKinley County	68.8*	21	18.0	<10	62.8%	34.0%	3.2%
Northwest Region	89.4	91	18.4	18	64.1%	33.4%	2.5%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
McKinley County	94.5*	<10	32.8	<10	68.1%	27.7%	4.3%
Northwest Region	116.5	51	21.8	10	66.7%	31.4%	1.9%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
McKinley County	109.4	<10	-	<10	73.5%	26.5%	0.0%
Northwest Region	81.4	11	21.8	<10	63.1%	32.1%	4.8%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
McKinley County	53.8	12	13.8	<10	54.2%	43.1%	2.8%
Northwest Region	61.2	27	13.0	<10	58.2%	39.4%	2.4%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

McKinley County Northwest Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
McKinley County	40.1	21	18.1	<10	36.0%	56.7%	7.3%
Northwest Region	40.9	74	16.4	28	39.4%	54.7%	6.0%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
McKinley County	36.4	<10	15.2	<10	37.5%	57.5%	5.0%
Northwest Region	43.3	36	15.5	13	40.0%	54.2%	5.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
McKinley County	58.6	<10	30.4*	<10	44.8%	48.3%	6.9%
Northwest Region	56.2	14	25.9	<10	43.4%	52.2%	4.4%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
McKinley County	36.8*	13	16.1*	<10	33.0%	58.2%	8.8%
Northwest Region	31.3	24	13.2	<10	35.3%	57.1%	7.7%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

McKinley County Northwest

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
McKinley County	8.3	<10	3.7	<10	37.0%	63.0%	0.0%
Northwest Region	7.2	<10	2.3	<10	46.7%	50.7%	2.7%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
McKinley County	7.5	<10	0.0	<10	60.0%	40.0%	0.0%
Northwest Region	5.9	<10	-	<10	62.5%	33.3%	4.2%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
McKinley County	5.6	<10	-	<10	100.0%	0.0%	0.0%
Northwest Region	11.0	<10	-	<10	42.9%	50.0%	7.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
McKinley County	9.3	<10	5.1	<10	25.0%	75.0%	0.0%
Northwest Region	8.0	<10	4.1	<10	37.8%	62.2%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Mora County Northeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Mora County	77.9	<10	-	<10	72.0%	24.0%	4.0%
Northeast Region	120.1	208	20.4	35	67.2%	28.9%	3.9%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Mora County	80.7	<10	-	<10	75.0%	25.0%	0.0%
Northeast Region	145.6	126	22.0	18	68.7%	27.3%	4.0%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Mora County	68.6	<10	-	<10	73.3%	26.7%	0.0%
Northeast Region	98.9	76	19.6	15	64.3%	32.4%	3.2%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Mora County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	47.2	<10	14.6	<10	71.4%	25.0%	3.6%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Mora County Northeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Mora County	33.9	<10	19.2	<10	47.1%	41.2%	11.8%
Northeast Region	41.8	133	16.4	49	43.8%	49.3%	6.9%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Mora County	55.5	<10	-	<10	37.5%	50.0%	12.5%
Northeast Region	36.5	58	12.4	18	46.3%	45.9%	7.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Mora County	28.4	<10	21.4	<10	55.6%	33.3%	11.1%
Northeast Region	48.1	70	20.9	29	41.8%	52.2%	6.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Mora County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	37.7	<10	14.4	<10	45.5%	54.6%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Mora County Northeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Mora County	6.3	<10	-	<10	0.0%	100.0%	0.0%
Northeast Region	8.6	13	2.2	<10	47.3%	48.1%	4.6%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Mora County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	7.8	<10	1.9	<10	50.0%	42.9%	7.1%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Mora County	8.6	<10	-	<10	0.0%	100.0%	0.0%
Northeast Region	8.8	<10	2.4	<10	45.3%	51.6%	3.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Mora County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	12.9	<10	-	<10	50.0%	50.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details
 - Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Otero County

Southwest Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Otero County	104.0	35	26.5	<10	66.2%	29.7%	4.1%
Southwest Region	107.2	200	24.3	45	63.8%	32.0%	4.3%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Otero County	120.3	27	28.5	<10	67.1%	28.7%	4.2%
Southwest Region	123.8	127	26.9	29	65.6%	29.8%	4.7%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Otero County	71.8*	<10	20.1	<10	59.5%	37.8%	2.7%
Southwest Region	89.2	67	20.4	15	59.7%	37.6%	2.8%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Otero County	101.0	<10	-	<10	75.0%	25.0%	0.0%
Southwest Region	55.7	<10	-	<10	80.0%	20.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Otero County Southwest Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Otero County	42.1	27	18.8	11	43.6%	44.4%	11.9%*
Southwest Region	40.5	149	17.2	62	42.0%	48.4%	9.7%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Otero County	47.0	21	19.7	<10	43.4%	45.0%	11.6%
Southwest Region	44.1	95	18.5	40	42.3%	47.9%	9.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Otero County	32.0*	<10	16.2	<10	45.0%	42.5%	12.5%
Southwest Region	36.8	50	15.4	20	41.9%	49.8%	8.3%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Otero County	39.6	<10	-	<10	44.4%	44.4%	11.1%
Southwest Region	22.6	<10	12.9	<10	41.2%	35.3%	23.5%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Otero County Southwest Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Otero County	8.5	<10	-	<10	55.6%	37.0%	7.4%
Southwest Region	10.9	18	3.1	<10	43.1%	47.0%	9.9%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Otero County	8.7	<10	-	<10	47.1%	41.2%	11.8%
Southwest Region	10.0	<10	2.3	<10	43.4%	46.1%	10.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Otero County	8.0	<10	-	<10	85.7%	14.3%	0.0%
Southwest Region	12.3	10	4.0	<10	43.3%	47.4%	9.3%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Otero County	18.5	<10	-	<10	50.0%	50.0%	0.0%
Southwest Region	7.1	<10	-	<10	33.3%	66.7%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Quay County Southeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Quay County	107.8	<10	18.5	<10	67.7%	27.4%	4.8%
Southeast Region	100.7	149	20.8	32	63.1%	32.3%	4.6%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Quay County	121.7	<10	19.1	<10	63.6%	29.6%	6.8%
Southeast Region	105.5	111	21.7	25	64.3%	31.1%	4.6%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Quay County	92.1	<10	-	<10	76.5%	23.5%	0.0%
Southeast Region	89.2	34	17.4	<10	57.6%	37.8%	4.6%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Quay County	122.4	<10	0.0	<10	100.0%	0.0%	0.0%
Southeast Region	44.7	<10	0.0	<10	100.0%	0.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Quay County Southeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Quay County	56.0*	<10	18.3	<10	40.5%	49.4%	10.1%
Southeast Region	42.7	122	17.0	49	39.7%	51.7%	8.6%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Quay County	51.2	<10	15.9	<10	36.7%	57.1%	6.1%
Southeast Region	43.7	92	17.0	37	39.8%	52.2%	8.0%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Quay County	75.0*	<10	28.9	<10	46.7%	36.7%	16.7%*
Southeast Region	40.9	26	16.6	10	38.6%	51.3%	10.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Quay County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	15.4	<10	0.0	<10	60.0%	40.0%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Quay County Southeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Quay County	13.7	<10	-	<10	66.7%	33.3%	0.0%
Southeast Region	10.3	13	3.6	<10	43.9%	47.7%	8.3%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Quay County	18.6	<10	0.0	<10	60.0%	40.0%	0.0%
Southeast Region	9.4	<10	3.5	<10	48.0%	46.6%	5.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Quay County	7.3	<10	-	<10	100.0%	0.0%	0.0%
Southeast Region	13.3	<10	5.0	<10	43.1%	47.1%	9.8%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Quay County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	5.2	<10	0.0	<10	0.0%	100.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Rio Arriba County Northeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Rio Arriba County	85.6*	19	15.6*	<10	66.7%	31.3%	2.0%
Northeast Region	120.1	208	20.4	35	67.2%	28.9%	3.9%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Rio Arriba County	128.9	<10	-	<10	63.3%	34.7%	2.0%
Northeast Region	145.6	126	22.0	18	68.7%	27.3%	4.0%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Rio Arriba County	84.0	12	19.0	<10	66.7%	31.1%	2.2%
Northeast Region	98.9	76	19.6	15	64.3%	32.4%	3.2%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Rio Arriba County	31.9	<10	-	<10	87.5%	12.5%	0.0%
Northeast Region	47.2	<10	14.6	<10	71.4%	25.0%	3.6%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Rio Arriba County Northeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Rio Arriba County	44.8	19	19.4	<10	37.1%	59.3%	3.6%*
Northeast Region	41.8	133	16.4	49	43.8%	49.3%	6.9%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Rio Arriba County	31.1	<10	11.5	<10	39.3%	60.7%	0.0%
Northeast Region	36.5	58	12.4	18	46.3%	45.9%	7.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Rio Arriba County	49.4	14	21.9	<10	35.8%	59.4%	4.9%
Northeast Region	48.1	70	20.9	29	41.8%	52.2%	6.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Rio Arriba County	43.2	<10	-	<10	43.8%	56.3%	0.0%
Northeast Region	37.7	<10	14.4	<10	45.5%	54.6%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Rio Arriba County Northeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Rio Arriba County	7.2	<10	-	<10	42.9%	57.1%	0.0%
Northeast Region	8.6	13	2.2	<10	47.3%	48.1%	4.6%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Rio Arriba County	3.2	<10	-	<10	0.0%	100.0%	0.0%
Northeast Region	7.8	<10	1.9	<10	50.0%	42.9%	7.1%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Rio Arriba County	6.9	<10	-	<10	44.4%	55.6%	0.0%
Northeast Region	8.8	<10	2.4	<10	45.3%	51.6%	3.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Rio Arriba County	12.9	<10	-	<10	66.7%	33.3%	0.0%
Northeast Region	12.9	<10	-	<10	50.0%	50.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Roosevelt County Southeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Roosevelt County	98.4	<10	17.6	<10	65.1%	33.3%	1.6%
Southeast Region	100.7	149	20.8	32	63.1%	32.3%	4.6%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Roosevelt County	109.5	<10	17.6	<10	68.6%	31.4%	0.0%
Southeast Region	105.5	111	21.7	25	64.3%	31.1%	4.6%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Roosevelt County	85.4	<10	-	<10	50.0%	41.7%	8.3%
Southeast Region	89.2	34	17.4	<10	57.6%	37.8%	4.6%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Roosevelt County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	44.7	<10	0.0	<10	100.0%	0.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Roosevelt County Southeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Roosevelt County	41.2	<10	22.2	<10	42.9%	44.4%	12.7%
Southeast Region	42.7	122	17.0	49	39.7%	51.7%	8.6%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Roosevelt County	39.0	<10	22.0	<10	45.1%	43.1%	11.8%
Southeast Region	43.7	92	17.0	37	39.8%	52.2%	8.0%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Roosevelt County	43.6	<10	-	<10	33.3%	50.0%	16.7%
Southeast Region	40.9	26	16.6	10	38.6%	51.3%	10.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Roosevelt County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	15.4	<10	0.0	<10	60.0%	40.0%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

Roosevelt County Southeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Roosevelt County	7.8	<10	-	<10	60.0%	40.0%	0.0%
Southeast Region	10.3	13	3.6	<10	43.9%	47.7%	8.3%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Roosevelt County	4.8	<10	-	<10	50.0%	50.0%	0.0%
Southeast Region	9.4	<10	3.5	<10	48.0%	46.6%	5.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Roosevelt County	11.2	<10	0.0	<10	100.0%	0.0%	0.0%
Southeast Region	13.3	<10	5.0	<10	43.1%	47.1%	9.8%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Roosevelt County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southeast Region	5.2	<10	0.0	<10	0.0%	100.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by NCHS

San Juan County Northwest Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
San Juan County	101.5*	58	19.3	11	64.9%	32.7%	2.4%
Northwest Region	89.4	91	18.4	18	64.1%	33.4%	2.5%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
San Juan County	120.4	40	21.3	<10	66.1%	32.1%	1.8%
Northwest Region	116.5	51	21.8	10	66.7%	31.4%	1.9%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
San Juan County	73.6	<10	21.6	<10	57.1%	32.1%	10.7%*
Northwest Region	81.4	11	21.8	<10	63.1%	32.1%	4.8%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
San Juan County	67.7	12	12.6	<10	63.3%	34.2%	2.5%
Northwest Region	61.2	27	13.0	<10	58.2%	39.4%	2.4%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

San Juan County Northwest Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
San Juan County	42.6	44	16.2	16	41.7%	53.5%	4.8%
Northwest Region	40.9	74	16.4	28	39.4%	54.7%	6.0%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
San Juan County	47.5*	29	16.1	10	41.3%	53.9%	4.8%
Northwest Region	43.3	36	15.5	13	40.0%	54.2%	5.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
San Juan County	60.6*	<10	28.0*	<10	47.9%	50.0%	2.1%
Northwest Region	56.2	14	25.9	<10	43.4%	52.2%	4.4%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
San Juan County	24.0*	<10	11.7	<10	37.5%	55.4%	7.1%
Northwest Region	31.3	24	13.2	<10	35.3%	57.1%	7.7%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

San Juan County Northwest Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
San Juan County	6.6	<10	1.7	<10	55.3%	42.1%	2.6%
Northwest Region	7.2	<10	2.3	<10	46.7%	50.7%	2.7%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
San Juan County	4.4	<10	-	<10	76.9%	23.1%	0.0%
Northwest Region	5.9	<10	-	<10	62.5%	33.3%	4.2%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
San Juan County	13.1	<10	-	<10	25.0%	62.5%	12.5%
Northwest Region	11.0	<10	-	<10	42.9%	50.0%	7.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
San Juan County	8.8	<10	-	<10	52.9%	47.1%	0.0%
Northwest Region	8.0	<10	4.1	<10	37.8%	62.2%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

San Miguel County Northeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
San Miguel County	95.4*	16	17.4	<10	62.8%	34.7%	2.5%
Northeast Region	120.1	208	20.4	35	67.2%	28.9%	3.9%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
San Miguel County	111.9	<10	-	<10	75.6%	22.2%	2.2%
Northeast Region	145.6	126	22.0	18	68.7%	27.3%	4.0%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
San Miguel County	91.8	10	18.3	<10	54.7%	42.7%	2.7%
Northeast Region	98.9	76	19.6	15	64.3%	32.4%	3.2%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
San Miguel County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	47.2	<10	14.6	<10	71.4%	25.0%	3.6%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

San Miguel County Northeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
San Miguel County	46.4	14	20.8	<10	37.0%	56.3%	6.7%
Northeast Region	41.8	133	16.4	49	43.8%	49.3%	6.9%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
San Miguel County	38.1	<10	15.0	<10	34.4%	62.5%	3.1%
Northeast Region	36.5	58	12.4	18	46.3%	45.9%	7.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
San Miguel County	50.4	11	22.9	<10	38.6%	54.5%	6.9%
Northeast Region	48.1	70	20.9	29	41.8%	52.2%	6.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
San Miguel County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	37.7	<10	14.4	<10	45.5%	54.6%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

San Miguel County Northeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
San Miguel County	12.2	<10	-	<10	41.2%	47.1%	11.8%
Northeast Region	8.6	13	2.2	<10	47.3%	48.1%	4.6%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
San Miguel County	12.1	<10	-	<10	25.0%	50.0%	25.0%
Northeast Region	7.8	<10	1.9	<10	50.0%	42.9%	7.1%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
San Miguel County	12.8	<10	-	<10	46.2%	46.2%	7.7%
Northeast Region	8.8	<10	2.4	<10	45.3%	51.6%	3.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
San Miguel County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	12.9	<10	-	<10	50.0%	50.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Sandoval County Metro Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Sandoval County	127.3*	73	24.4	14	65.8%	30.2%	4.0%
Metro Region	120.4	509	23.1	99	63.4%	33.1%	3.5%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Sandoval County	147.0*	54	27.4	10	69.1%	25.9%	5.0%
Metro Region	137.3	342	25.2	66	65.1%	31.0%	3.9%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Sandoval County	108.8	14	22.9	<10	61.9%	37.1%	1.0%
Metro Region	101.0	139	21.5	28	60.4%	37.4%	2.3%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Sandoval County	53.8	<10	-	<10	44.8%	55.2%	0.0%
Metro Region	62.0	11	10.1	<10	56.5%	42.4%	1.2%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Sandoval County Metro Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Sandoval County	46.8*	47	18.5	18	40.4%	53.0%	6.5%
Metro Region	41.6	321	16.1	121	40.5%	52.6%	7.0%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Sandoval County	51.0*	34	18.7	12	39.8%	53.4%	6.8%
Metro Region	41.5	199	15.6	75	41.7%	51.2%	7.1%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Sandoval County	42.8	<10	18.3	<10	42.5%	52.5%	5.0%
Metro Region	42.9	101	17.3	38	38.4%	55.7%	5.9%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Sandoval County	25.3	<10	10.4	<10	44.0%	52.0%	4.0%
Metro Region	26.9	<10	11.4	<10	44.4%	46.0%	9.5%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Sandoval County Metro Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Sandoval County	5.2*	<10	-	<10	53.6%	46.4%	0.0%
Metro Region	6.7	27	2.0	<10	53.3%	42.7%	4.0%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Sandoval County	3.1*	<10	-	<10	70.0%	30.0%	0.0%
Metro Region	6.1	13	1.9	<10	56.7%	40.3%	3.0%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Sandoval County	7.3	<10	-	<10	60.0%	40.0%	0.0%
Metro Region	7.6	11	2.2	<10	52.7%	44.6%	2.7%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Sandoval County	12.4	<10	-	<10	25.0%	75.0%	0.0%
Metro Region	8.0	<10	-	<10	37.5%	50.0%	12.5%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Santa Fe County Northeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Santa Fe County	135.6*	115	22.6	18	68.3%	27.9%	3.9%*
Northeast Region	120.1	208	20.4	35	67.2%	28.9%	3.9%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Santa Fe County	155.8*	78	25.1	11	68.7%	27.7%	3.7%
Northeast Region	145.6	126	22.0	18	68.7%	27.3%	4.0%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Santa Fe County	107.1*	33	20.0	<10	67.5%	29.0%	3.5%
Northeast Region	98.9	76	19.6	15	64.3%	32.4%	3.2%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Santa Fe County	64.3	<10	-	<10	61.5%	30.8%	7.7%
Northeast Region	47.2	<10	14.6	<10	71.4%	25.0%	3.6%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Santa Fe County Northeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Santa Fe County	38.7	57	14.6	20	47.2%	46.9%	5.9%*
Northeast Region	41.8	133	16.4	49	43.8%	49.3%	6.9%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Santa Fe County	34.7*	31	11.9*	<10	47.8%	43.6%	8.7%
Northeast Region	36.5	58	12.4	18	46.3%	45.9%	7.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Santa Fe County	45.2	25	18.8	10	47.7%	49.6%	2.7%*
Northeast Region	48.1	70	20.9	29	41.8%	52.2%	6.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Santa Fe County	43.3	<10	-	<10	33.3%	66.7%	0.0%
Northeast Region	37.7	<10	14.4	<10	45.5%	54.6%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Santa Fe County Northeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Santa Fe County	9.2	<10	1.9	<10	52.9%	42.9%	4.3%
Northeast Region	8.6	13	2.2	<10	47.3%	48.1%	4.6%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Santa Fe County	9.3	<10	2.1	<10	55.3%	39.5%	5.3%
Northeast Region	7.8	<10	1.9	<10	50.0%	42.9%	7.1%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Santa Fe County	8.9	<10	-	<10	53.6%	42.9%	3.6%
Northeast Region	8.8	<10	2.4	<10	45.3%	51.6%	3.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Santa Fe County	9.3	<10	-	<10	50.0%	50.0%	0.0%
Northeast Region	12.9	<10	-	<10	50.0%	50.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Sierra County Southwest Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Sierra County	115.0	12	24.3	<10	56.3%	39.6%	4.2%
Southwest Region	107.2	200	24.3	45	63.8%	32.0%	4.3%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Sierra County	121.3	10	23.8	<10	55.3%	40.0%	4.7%
Southwest Region	123.8	127	26.9	29	65.6%	29.8%	4.7%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Sierra County	93.5	<10	-	<10	66.7%	33.3%	0.0%
Southwest Region	89.2	67	20.4	15	59.7%	37.6%	2.8%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Sierra County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southwest Region	55.7	<10	-	<10	80.0%	20.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Sierra County Southwest Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Sierra County	42.2	11	16.7	<10	37.1%	51.4%	11.4%
Southwest Region	40.5	149	17.2	62	42.0%	48.4%	9.7%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Sierra County	42.0	<10	15.5	<10	37.1%	52.8%	10.1%
Southwest Region	44.1	95	18.5	40	42.3%	47.9%	9.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Sierra County	38.8	<10	-	<10	40.0%	46.7%	13.3%
Southwest Region	36.8	50	15.4	20	41.9%	49.8%	8.3%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Sierra County	48.2	<10	-	<10	0.0%	0.0%	100.0%*
Southwest Region	22.6	<10	12.9	<10	41.2%	35.3%	23.5%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Sierra County Southwest Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Sierra County	8.9	<10	0.0	<10	37.5%	62.5%	0.0%
Southwest Region	10.9	18	3.1	<10	43.1%	47.0%	9.9%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Sierra County	12.4	<10	0.0	<10	37.5%	62.5%	0.0%
Southwest Region	10.0	<10	2.3	<10	43.4%	46.1%	10.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Sierra County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southwest Region	12.3	10	4.0	<10	43.3%	47.4%	9.3%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Sierra County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southwest Region	7.1	<10	-	<10	33.3%	66.7%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Socorro County Southwest Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Socorro County	94.8	<10	25.4	<10	59.7%	37.3%	3.0%
Southwest Region	107.2	200	24.3	45	63.8%	32.0%	4.3%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Socorro County	97.7	<10	22.6	<10	77.1%	17.1%	5.7%
Southwest Region	123.8	127	26.9	29	65.6%	29.8%	4.7%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Socorro County	95.9	<10	26.7	<10	42.9%	57.1%	0.0%*
Southwest Region	89.2	67	20.4	15	59.7%	37.6%	2.8%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Socorro County	40.5	<10	-	<10	50.0%	50.0%	0.0%
Southwest Region	55.7	<10	-	<10	80.0%	20.0%	0.0%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Socorro County Southwest Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Socorro County	40.6	<10	19.6	<10	29.7%	65.6%	4.7%
Southwest Region	40.5	149	17.2	62	42.0%	48.4%	9.7%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Socorro County	48.7	<10	21.8	<10	17.1%	77.1%	5.7%*
Southwest Region	44.1	95	18.5	40	42.3%	47.9%	9.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Socorro County	35.6	<10	16.2	<10	40.0%	60.0%	0.0%
Southwest Region	36.8	50	15.4	20	41.9%	49.8%	8.3%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Socorro County	25.7	<10	-	<10	66.7%	0.0%	33.3%
Southwest Region	22.6	<10	12.9	<10	41.2%	35.3%	23.5%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Socorro County Southwest Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Socorro County	15.0	<10	-	<10	41.7%	50.0%	8.3%
Southwest Region	10.9	18	3.1	<10	43.1%	47.0%	9.9%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Socorro County	14.6	<10	-	<10	50.0%	50.0%	0.0%
Southwest Region	10.0	<10	2.3	<10	43.4%	46.1%	10.5%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Socorro County	16.8	<10	0.0	<10	28.6%	57.1%	14.3%
Southwest Region	12.3	10	4.0	<10	43.3%	47.4%	9.3%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Socorro County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Southwest Region	7.1	<10	-	<10	33.3%	66.7%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p < 0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Taos County Northeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Taos County	130.1*	26	21.9	<10	66.7%	27.6%	5.7%
Northeast Region	120.1	208	20.4	35	67.2%	28.9%	3.9%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Taos County	156.7*	14	22.9	<10	70.5%	21.9%	7.6%
Northeast Region	145.6	126	22.0	18	68.7%	27.3%	4.0%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Taos County	117.6*	12	20.6	<10	64.2%	32.6%	3.2%
Northeast Region	98.9	76	19.6	15	64.3%	32.4%	3.2%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Taos County	56.7	<10	-	<10	66.7%	33.3%	0.0%
Northeast Region	47.2	<10	14.6	<10	71.4%	25.0%	3.6%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Taos County Northeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Taos County	46.0	17	14.4	<10	45.3%	47.8%	6.9%
Northeast Region	41.8	133	16.4	49	43.8%	49.3%	6.9%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Taos County	41.0	<10	11.9	<10	45.6%	52.6%	1.8%
Northeast Region	36.5	58	12.4	18	46.3%	45.9%	7.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Taos County	50.3	10	16.0	<10	43.5%	46.7%	9.8%
Northeast Region	48.1	70	20.9	29	41.8%	52.2%	6.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Taos County	40.7	<10	-	<10	62.5%	37.5%	0.0%
Northeast Region	37.7	<10	14.4	<10	45.5%	54.6%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Taos County Northeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Taos County	9.6	<10	-	<10	38.9%	61.1%	0.0%
Northeast Region	8.6	13	2.2	<10	47.3%	48.1%	4.6%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Taos County	7.5	<10	-	<10	28.6%	71.4%	0.0%
Northeast Region	7.8	<10	1.9	<10	50.0%	42.9%	7.1%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Taos County	8.7	<10	-	<10	37.5%	62.5%	0.0%
Northeast Region	8.8	<10	2.4	<10	45.3%	51.6%	3.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Taos County	18.6	<10	-	<10	50.0%	50.0%	0.0%
Northeast Region	12.9	<10	-	<10	50.0%	50.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Torrance County Metro Region

Female Breast Cancer




Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Torrance County	108.1	<10	21.2	<10	59.7%	40.3%	0.0%
Metro Region	120.4	509	23.1	99	63.4%	33.1%	3.5%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Torrance County	103.7	<10	18.2	<10	65.3%	34.7%	0.0%
Metro Region	137.3	342	25.2	66	65.1%	31.0%	3.9%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Torrance County	113.1	<10	-	<10	45.0%	55.0%	0.0%
Metro Region	101.0	139	21.5	28	60.4%	37.4%	2.3%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Torrance County	92.3	<10	-	<10	50.0%	50.0%	0.0%
Metro Region	62.0	11	10.1	<10	56.5%	42.4%	1.2%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%

[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Torrance County Metro Region Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Torrance County	34.2	<10	15.5	<10	42.0%	52.0%	6.0%
Metro Region	41.6	321	16.1	121	40.5%	52.6%	7.0%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Torrance County	26.0*	<10	16.2	<10	48.2%	44.4%	7.4%
Metro Region	41.5	199	15.6	75	41.7%	51.2%	7.1%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Torrance County	54.1	<10	-	<10	38.1%	57.1%	4.8%
Metro Region	42.9	101	17.3	38	38.4%	55.7%	5.9%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Torrance County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Metro Region	26.9	<10	11.4	<10	44.4%	46.0%	9.5%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Torrance County Metro Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Torrance County	1.6*	<10	-	<10	100%	0.0%	0.0%
Metro Region	6.7	27	2.0	<10	53.3%	42.7%	4.0%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Torrance County	2.8	<10	-	<10	100%	0.0%	0.0%
Metro Region	6.1	13	1.9	<10	56.7%	40.3%	3.0%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Torrance County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Metro Region	7.6	11	2.2	<10	52.7%	44.6%	2.7%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Torrance County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Metro Region	8.0	<10	-	<10	37.5%	50.0%	12.5%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Union County Northeast Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Union County	134.3	<10	-	<10	64.9%	27.0%	8.1%
Northeast Region	120.1	208	20.4	35	67.2%	28.9%	3.9%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Union County	155.9	<10	-	<10	63.3%	26.7%	10.0%
Northeast Region	145.6	126	22.0	18	68.7%	27.3%	4.0%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Union County	98.6	<10	-	<10	71.4%	28.6%	0.0%
Northeast Region	98.9	76	19.6	15	64.3%	32.4%	3.2%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Union County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	47.2	<10	14.6	<10	71.4%	25.0%	3.6%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Union County Northeast Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Union County	43.9	<10	-	<10	54.5%	36.4%	9.1%
Northeast Region	41.8	133	16.4	49	43.8%	49.3%	6.9%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Union County	45.5	<10	-	<10	58.8%	35.3%	5.9%
Northeast Region	36.5	58	12.4	18	46.3%	45.9%	7.8%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Union County	35.3	<10	-	<10	50.0%	50.0%	0.0%
Northeast Region	48.1	70	20.9	29	41.8%	52.2%	6.1%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Union County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	37.7	<10	14.4	<10	45.5%	54.6%	0.0%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Union County Northeast Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Union County	11.3	<10	-	<10	100.0%	0.0%	0.0%
Northeast Region	8.6	13	2.2	<10	47.3%	48.1%	4.6%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Union County	18.9	<10	-	<10	100.0%	0.0%	0.0%
Northeast Region	7.8	<10	1.9	<10	50.0%	42.9%	7.1%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Union County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	8.8	<10	2.4	<10	45.3%	51.6%	3.1%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Union County	0.0	<10	0.0	<10	0.0%	0.0%	0.0%
Northeast Region	12.9	<10	-	<10	50.0%	50.0%	0.0%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Valencia County Metro Region

Female Breast Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Valencia County	106.3	37	26.6	<10	57.8%	38.8%	3.4%
Metro Region	120.4	509	23.1	99	63.4%	33.1%	3.5%
NM, Statewide	113.0	1,164	22.1	229	64.3%	32.0%	3.8%
Non-Hispanic White							
Valencia County	105.6*	19	32.7*	<10	59.4%	35.5%	5.2%
Metro Region	137.3	342	25.2	66	65.1%	31.0%	3.9%
NM, Statewide	130.0	762	24.1	148	65.8%	30.2%	4.0%
Hispanic							
Valencia County	108.3	16	22.0	<10	57.4%	41.6%	1.0%
Metro Region	101.0	139	21.5	28	60.4%	37.4%	2.3%
NM, Statewide	96.5	329	20.4	67	61.3%	35.8%	2.9%
American Indian							
Valencia County	45.5	<10	-	<10	50.0%	50.0%	0.0%
Metro Region	62.0	11	10.1	<10	56.5%	42.4%	1.2%
NM, Statewide	59.5	45	12.5	<10	61.0%	37.1%	2.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Valencia County Metro Region

Colorectal Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (50 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Valencia County	45.5	29	19.8*	12	39.1%	52.0%	8.9%
Metro Region	41.6	321	16.1	121	40.5%	52.6%	7.0%
NM, Statewide	41.7	803	16.5	309	41.1%	51.2%	7.7%
Non-Hispanic White							
Valencia County	47.5	16	23.2*	<10	36.4%	53.6%	9.9%
Metro Region	41.5	199	15.6	75	41.7%	51.2%	7.1%
NM, Statewide	42.0	481	15.9	183	41.9%	50.2%	7.9%
Hispanic							
Valencia County	43.1	11	15.6	<10	44.9%	47.7%	7.5%
Metro Region	42.9	101	17.3	38	38.4%	55.7%	5.9%
NM, Statewide	43.3	262	18.1	103	40.3%	53.0%	6.7%
American Indian							
Valencia County	13.8	<10	-	<10	50.0%	50.0%	0.0%
Metro Region	26.9	<10	11.4	<10	44.4%	46.0%	9.5%
NM, Statewide	30.0	39	12.5	15	39.5%	52.6%	8.0%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Valencia County Metro Region

Cervical Cancer



Race/Ethnicity	Average Annual Incidence Rate [†]	Average Number of New Cases per Year	Average Annual Mortality Rate [†]	Average Number of Deaths per Year	Stage at Diagnosis (18 Years and Older)		
					Local	Regional/ Distant	Unknown
All Races Combined							
Valencia County	8.9	<10	2.8	<10	66.7%	26.7%	6.7%
Metro Region	6.7	27	2.0	<10	53.3%	42.7%	4.0%
NM, Statewide	8.3	80	2.5	25	47.8%	45.8%	6.4%
Non-Hispanic White							
Valencia County	8.1	<10	-	<10	66.7%	25.0%	8.3%
Metro Region	6.1	13	1.9	<10	56.7%	40.3%	3.0%
NM, Statewide	7.5	36	2.1	12	51.8%	42.5%	5.8%
Hispanic							
Valencia County	9.6	<10	-	<10	70.6%	29.4%	0.0%
Metro Region	7.6	11	2.2	<10	52.7%	44.6%	2.7%
NM, Statewide	9.8	35	3.0	10	46.6%	47.2%	6.2%
American Indian							
Valencia County	11.3	<10	0.0	<10	0.0%	0.0%	100.0%*
Metro Region	8.0	<10	-	<10	37.5%	50.0%	12.5%
NM, Statewide	8.6	<10	3.6	<10	38.2%	55.9%	5.9%


[†] Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

* The difference between the county and statewide rates or percentages are statistically significant (p <0.05) – see methods section for more details

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Tobacco-Related Cancers: Cancer of the Lung and Bronchus

Average Annual Rates* for New Mexico




	Race/Ethnicity	Average Annual Incidence Rate*	Average Number of New Cases per Year	Average Annual Mortality Rate*	Average Number of Deaths per Year
NM Residents	Non-Hispanic White	57.4	667	44.7	517
	Hispanic	34.5	202	27.3	153
	American Indian	13.4	15	10.9	11
	Black	53.2	17	41.0	12
	Other	39.3	<10	18.5	<10
Male	Non-Hispanic White	68.1	360	54.7	283
	Hispanic	44.2	115	37.4	93
	American Indian	20.2	<10	15.8	<10
	Black	76.2	11	63.1	<10
	Other	47.1	<10	25.5	<10
Female	Non-Hispanic White	48.7	307	36.9	234
	Hispanic	27.0	87	19.5	61
	American Indian	8.7	<10	7.4	<10
	Black	34.0	<10	22.0	<10
	Other	34.8	<10	14.8	<10

* Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

Tobacco-Related Cancers: Cancer of the Urinary Bladder

Average Annual Rates* for New Mexico




	Race/Ethnicity	Average Annual Incidence Rate*	Average Number of New Cases per Year	Average Annual Mortality Rate*	Average Number of Deaths per Year
NM Residents	Non-Hispanic White	20.5	238	4.2	49
	Hispanic	10.5	62	3.0	16
	American Indian	3.9	<10	1.0	<10
	Black	8.0	<10	-	<10
	Other	17.3	<10	-	<10
Male	Non-Hispanic White	35.5	184	7.1	35
	Hispanic	17.4	46	4.5	11
	American Indian	7.5	<10	-	<10
	Black	10.2	<10	-	<10
	Other	34.3	<10	-	<10
Female	Non-Hispanic White	8.5	54	2.1	14
	Hispanic	4.9	16	1.8	<10
	American Indian	1.4	<10	-	<10
	Black	6.0	<10	-	<10
	Other	6.0	<10	0.0	<10

* Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details

Tobacco-Related Cancers: Cancer of the Oral Cavity and Pharynx

Average Annual Rates* for New Mexico



	Race/Ethnicity	Average Annual Incidence Rate*	Average Number of New Cases per Year	Average Annual Mortality Rate*	Average Number of Deaths per Year
NM Residents	Non-Hispanic White	11.8	134	2.3	27
	Hispanic	6.9	44	1.7	10
	American Indian	4.8	<10	1.1	<10
	Black	4.3	<10	-	-
	Other	11.6	<10	-	-
Male	Non-Hispanic White	17.7	94	3.4	18
	Hispanic	10.4	31	2.9	<10
	American Indian	5.4	<10	1.7	<10
	Black	7.3	<10	-	-
	Other	20.9	<10	-	-
Female	Non-Hispanic White	6.5	39	1.4	<10
	Hispanic	3.9	13	0.7	<10
	American Indian	4.3	<10	-	-
	Black	1.6	<10	-	-
	Other	5.1	<10	-	-

* Rates are per 100,000 and age-adjusted to the 2000 US Standard Population

- Rate could not be calculated due to suppression by the National Center for Health Statistics (NCHS) – see methods for more details



New Mexico Tumor Registry

