



# Urinary Bladder Cancer

## Average Incidence (New Cases) and Cancer-Related Mortality (Deaths) per Year Male New Mexico Residents, 2017-2021

<i>Incidence</i>				
<b>Race/Ethnicity</b>	<b>Age-adjusted rate<sup>†</sup></b>	<b>Average number of new cases</b>	<b>Percent of all new cases</b>	<b>Rank among all new cancer cases<sup>‡</sup></b>
NM, American Indian	6.0	5	1.9%	13
NM, Asian or Pacific Islander	13.7	2	4.7%	7
NM, Black	22.1	6	5.6%	4
NM, Hispanic	15.1	64	4.2%	7
NM, Non-Hispanic White	28.0	201	7.1%	5
NM, All Races Combined	*	283	5.7%	*
US, All Races Combined <sup>§</sup>	31.6	61,700	7.1%	4
<i>Mortality</i>				
<b>Race/Ethnicity</b>	<b>Age-adjusted rate<sup>†</sup></b>	<b>Average number of cancer deaths</b>	<b>Percent of all cancer deaths</b>	<b>Rank among all cancer deaths<sup>‡</sup></b>
NM, American Indian	-	-	-	-
NM, Asian or Pacific Islander	-	-	-	-
NM, Black	-	-	-	-
NM, Hispanic	4.4	17	2.5%	12
NM, Non-Hispanic White	7.4	51	4.5%	6
NM, All Races Combined	*	69	3.5%	*
US, All Races Combined <sup>§</sup>	7.2	12,036	3.8%	7

<sup>†</sup> Rates are per 100,000 and age-adjusted to the 2000 US standard population.

<sup>‡</sup> Rank was determined by sorting the rate.

\* Please refer to the race-specific age-adjusted rates and ranks.

- Statistic and/or rank cannot be calculated or displayed due to a small number of cases.

<sup>§</sup> US incidence rates obtained from Surveillance, Epidemiology and End Results Program (22 SEER registries); estimated number of new US cancer cases obtained from *American Cancer Society. Cancer Facts and Figures 2019. Atlanta: American Cancer Society, 2019*; US mortality rates and number of cancer deaths obtained from National Center for Health Statistics (all states).



# Urinary Bladder Cancer

## Average Incidence (New Cases) and Cancer-Related Mortality (Deaths) per Year Female New Mexico Residents, 2017-2021

<i>Incidence</i>				
<b>Race/Ethnicity</b>	<b>Age-adjusted rate<sup>†</sup></b>	<b>Average number of new cases</b>	<b>Percent of all new cases</b>	<b>Rank among all new cancer cases<sup>‡</sup></b>
NM, American Indian	2.3	3	0.8%	20
NM, Asian or Pacific Islander	4.9	1	1.9%	13
NM, Black	3.9	1	1.5%	11
NM, Hispanic	5.4	27	1.6%	14
NM, Non-Hispanic White	7.5	61	2.4%	12
NM, All Races Combined	*	96	2.0%	*
US, All Races Combined <sup>§</sup>	7.8	18,770	2.1%	12
<i>Mortality</i>				
<b>Race/Ethnicity</b>	<b>Age-adjusted rate<sup>†</sup></b>	<b>Average number of cancer deaths</b>	<b>Percent of all cancer deaths</b>	<b>Rank among all cancer deaths<sup>‡</sup></b>
NM, American Indian	-	-	-	-
NM, Asian or Pacific Islander	-	-	-	-
NM, Black	-	-	-	-
NM, Hispanic	2.1	10	1.7%	15
NM, Non-Hispanic White	2.4	20	2.1%	11
NM, All Races Combined	*	31	1.9%	*
US, All Races Combined <sup>§</sup>	2.0	4,687	1.6%	15

<sup>†</sup> Rates are per 100,000 and age-adjusted to the 2000 US standard population.

<sup>‡</sup> Rank was determined by sorting the rate.

\* Please refer to the race-specific age-adjusted rates and ranks.

- Statistic and/or rank cannot be calculated or displayed due to a small number of cases.

<sup>§</sup> US incidence rates obtained from Surveillance, Epidemiology and End Results Program (22 SEER registries); estimated number of new US cancer cases obtained from *American Cancer Society. Cancer Facts and Figures 2019. Atlanta: American Cancer Society, 2019*; US mortality rates and number of cancer deaths obtained from National Center for Health Statistics (all states).