Central New Mexico STEM Research Challenge

DISPLAY & SAFETY REGULATIONS AND PROJECT SET-UP APPROVAL FORM

The following regulations must be adhered to by ALL Exhibitors. **Knowledge of Display & Safety requirements is the responsibility of the Student Exhibitor and Adult Sponsor(s).** The Display & Safety Committee may require exhibitors to make revisions to conform to the regulations.

Inspectors: Check each box on BOTH sides of this form after inspected and confirmed.

	The project display DOES NOT have any of the PROHIBITED ITEMS as described below and on the other side of this form. <i>Inspectors: be sure to complete BOTH sides of this form!</i>		
	Exhibitor name CANNOT appear on front of display board. Exhibitor name, school and grade may appear on notebooks, research paper, etc. No other personal information may be shown anywhere on display.		
	 Display Dimensions and Construction: The display is within 30" deep; 48" wide; 108" from the floor to the top of project (or 78" from top of table). ALL project materials fit within the given dimensions. The display items and backboard are self-standing and stable, or secured to table. All items on display board are attached securely. All sharp edges on project are removed or protected. No tripping hazards are present. 		
	ALL graphics are properly cited . Any graph, photo, or other image on the project display whether created by the exhibitor or not (including those created using AI), must be <i>individually</i> cited . If the graphic was obtained on the internet, a URL or DOI must be provided. Citations must be displayed alongside the graphic or in a vertically displayed reference list.		
	Display of photographs other than that of the exhibitor must have a photo release signed by the subject, and if under 18 years of age, also by the guardian of the subject (these forms must be available upon request but shall not be displayed) OR all faces are blacked out, covered, or otherwise obscured.		
	Digital Display/Devices – Exhibitors using a digital display/device (i.e. video) MUST show the entirety of the content during inspection for approval. If a laptop is a part of the display, exhibitor must provide a laptop lock and demonstrate that it can be secured to the table. Laptops with no lock, tablets, phones used for digital displays that cannot be secured are the sole responsibility of the exhibitor and Research Challenge staff is not responsible for any loss, damage or theft.		
	Websites or QR codes to other materials, videos, etc. are not allowed. Only URLS used for citations are allowed.		
	Websites or QR codes to other materials, videos, etc. are not allowed. Only URLS used for citations are allowed.		
	Websites or QR codes to other materials, videos, etc. are not allowed. Only URLS used for citations are allowed. y that this project has been inspected and complies with all Display & Safety Requirements.		
I certify			
I certify Display	y that this project has been inspected and complies with all Display & Safety Requirements.		
I certify Display	y that this project has been inspected and complies with all Display & Safety Requirements. y & Safety Inspector Name Display & Safety Inspector Signature		
I certify Display	y that this project has been inspected and complies with all Display & Safety Requirements. y & Safety Inspector Name Display & Safety Inspector Signature		
Display Please	y that this project has been inspected and complies with all Display & Safety Requirements. Display & Safety Inspector Signature note any changes made to and/or items removed from the display:		
Display Please Studen	y that this project has been inspected and complies with all Display & Safety Requirements. Display & Safety Inspector Signature note any changes made to and/or items removed from the display: Int Exhibitor Acknowledgement: I hereby acknowledge that		
Display Please Studen 1) I have	y that this project has been inspected and complies with all Display & Safety Requirements. Display & Safety Inspector Signature note any changes made to and/or items removed from the display: Int Exhibitor Acknowledgement: I hereby acknowledge that we been made aware of the display and safety requirements		
Display Please Studen 1) I hav	At this project has been inspected and complies with all Display & Safety Requirements. Display & Safety Inspector Signature note any changes made to and/or items removed from the display: Int Exhibitor Acknowledgement: I hereby acknowledge that the been made aware of the display and safety requirements are been given a copy of the Exhibit Hall Map and know the Emergency Exit Plan.		
Display Please Studer 1) I hav 2) I hav Challer	y that this project has been inspected and complies with all Display & Safety Requirements. Display & Safety Inspector Signature note any changes made to and/or items removed from the display: Int Exhibitor Acknowledgement: I hereby acknowledge that we been made aware of the display and safety requirements		
Display Please Studen 1) I hav 2) I hav challen withou	At Exhibitor Acknowledgement: I hereby acknowledge that The been given a copy of the Exhibit Hall Map and know the Emergency Exit Plan. The been given a copy of the Exhibit Hall Map and know the Emergency Exit Plan. The been given a copy of the Exhibit Hall Map and know the Emergency Exit Plan. The been given a copy of the Exhibit Hall Map and know the Emergency Exit Plan. The been given a copy of the Exhibit Hall Map and know the Emergency Exit Plan. The been given a copy of the Exhibit Hall Map and know the Emergency Exit Plan. The been given a copy of the Exhibit Hall Map and know the Emergency Exit Plan. The been given a copy of the Exhibit Hall Map and know the Emergency Exit Plan. The been given a copy of the Exhibit Hall Map and know the Emergency Exit Plan.		

ITEMS NOT ALLOWED ON DISPLAY Photographs of these items are allowed as long as they are appropriate and not deemed offensive by Display & Safety inspectors.					
	Living organisms, including plants		Glass (including light/heat sources)		
	Taxidermy specimens or parts		Preserved vertebrate or invertebrate animals		
	ALL chemicals including water. Absolutely no liquids can be utilized in the project display		Flames and highly flammable materials. Any materials that were previously flame or fire tested.		
	Plant materials (living, dead, or preserved) that are in their raw, unprocessed, or non-manufactured state		Any apparatus with belts, pulleys, chains, or moving parts with tension or pinch points that are not appropriately shielded		
	Human or animal food		3D Printers unless the power source is removed		
	Human/animal parts or body fluids		Batteries with open-top cells or wet cells		
	Soil, sand, rock, cement, concrete, and/or waste samples, even if permanently encased in acrylic		Inadequately insulated apparatus capable of producing dangerous temperatures		
	Sharp items (examples: syringes, needles, pipettes, knives)		Any display items that are deemed distracting (i.e. sounds, lights, odors, etc.)		
	Items that may have contained or been in contact with hazardous chemicals (Item <i>may</i> be permitted is professionally cleaned and documentation for such cleaning is available)		All hazardous substances or devices (examples: poisons, drugs, firearms, weapons, ammunition, reloading devices, grease/oil and sublimating solids such as dry ice		
	Drones or any flight capable apparatus unless the propulsion power source is removed		Brand names, logos, copyrighted /trademarked images UNLESS integral to the project		
	Incandescent and fluorescent light bulbs or any other heat generating light source		Any apparatus or project material deemed unsafe by the Display & Safety Committee		
	Treat generaling light educate		Display & Galety Committee		
	ECTRICAL REGULATIONS : when exhibitor is not at display, all electrical power mus	t be di			
	ECTRICAL REGULATIONS		sconnected or switched off.		
Note	ECTRICAL REGULATIONS : when exhibitor is not at display, all electrical power mus	Volt, A	isconnected or switched off. AC single phase, 60 Hz.		
Note	ECTRICAL REGULATIONS : when exhibitor is not at display, all electrical power mus Electrical power supplied to the project is standard 120	Volt, A	isconnected or switched off. AC single phase, 60 Hz. L-listed, in good condition, and unmodified.		
Note:	ECTRICAL REGULATIONS The when exhibitor is not at display, all electrical power must be project in the project	Volt, At be Ul	isconnected or switched off. AC single phase, 60 Hz. L-listed, in good condition, and unmodified. re must be non-combustible. All external non-current		
Note	ECTRICAL REGULATIONS : when exhibitor is not at display, all electrical power must Electrical power supplied to the project is standard 120. Power strips/surge protectors and extension cords must Electrical devices must be protectively enclosed. Any ercarrying metal parts must be grounded. Energized wiring, switches, and metal parts must have a must be inaccessible to anyone other than the exhibitor.	Volt, And the Ulanclosu	isconnected or switched off. AC single phase, 60 Hz. L-listed, in good condition, and unmodified. re must be non-combustible. All external non-current		
Note D D	ECTRICAL REGULATIONS : when exhibitor is not at display, all electrical power must Electrical power supplied to the project is standard 120. Power strips/surge protectors and extension cords must Electrical devices must be protectively enclosed. Any ercarrying metal parts must be grounded. Energized wiring, switches, and metal parts must have a must be inaccessible to anyone other than the exhibitor. Exposed electrical equipment or metal that may be energized.	Volt, And the Ulanciosu	isconnected or switched off. AC single phase, 60 Hz. L-listed, in good condition, and unmodified. The must be non-combustible. All external non-current attended insulation. Over-current safety devices (ex: fuses) must be shielded with a non-conducting material or with a		
Note	ECTRICAL REGULATIONS : when exhibitor is not at display, all electrical power must Electrical power supplied to the project is standard 120 or Power strips/surge protectors and extension cords must Electrical devices must be protectively enclosed. Any encarrying metal parts must be grounded. Energized wiring, switches, and metal parts must have a must be inaccessible to anyone other than the exhibitor. Exposed electrical equipment or metal that may be energrounded metal box to prevent accidental contact	Volt, And the Ulanciosu	isconnected or switched off. AC single phase, 60 Hz. L-listed, in good condition, and unmodified. The must be non-combustible. All external non-current attended insulation. Over-current safety devices (ex: fuses) must be shielded with a non-conducting material or with a		
Note	ECTRICAL REGULATIONS It when exhibitor is not at display, all electrical power must Electrical power supplied to the project is standard 120. Power strips/surge protectors and extension cords must Electrical devices must be protectively enclosed. Any ercarrying metal parts must be grounded. Energized wiring, switches, and metal parts must have a must be inaccessible to anyone other than the exhibitor. Exposed electrical equipment or metal that may be energrounded metal box to prevent accidental contact An insulating grommet is required at the point where any	Volt, And the Ulanclosu adequates a second control of the Ulanclosu and the Ulanclos	isconnected or switched off. AC single phase, 60 Hz. L-listed, in good condition, and unmodified. The must be non-combustible. All external non-current attended insulation. Over-current safety devices (ex: fuses) The must be shielded with a non-conducting material or with a conducting material or with a conducting enters any enclosure.		
Note I	ECTRICAL REGULATIONS It when exhibitor is not at display, all electrical power must Electrical power supplied to the project is standard 120. Power strips/surge protectors and extension cords must Electrical devices must be protectively enclosed. Any ercarrying metal parts must be grounded. Energized wiring, switches, and metal parts must have a must be inaccessible to anyone other than the exhibitor. Exposed electrical equipment or metal that may be energrounded metal box to prevent accidental contact An insulating grommet is required at the point where any No exposed live circuits over 36 volts are allowed.	Volt, And the Ulanclosu adequates a second control of the Ulanclosu and the Ulanclos	isconnected or switched off. AC single phase, 60 Hz. L-listed, in good condition, and unmodified. The must be non-combustible. All external non-current attended insulation. Over-current safety devices (ex: fuses) The must be shielded with a non-conducting material or with a conducting material or with a conducting enters any enclosure.		
Note I	ECTRICAL REGULATIONS It when exhibitor is not at display, all electrical power must Electrical power supplied to the project is standard 120. Power strips/surge protectors and extension cords must Electrical devices must be protectively enclosed. Any ercarrying metal parts must be grounded. Energized wiring, switches, and metal parts must have a must be inaccessible to anyone other than the exhibitor. Exposed electrical equipment or metal that may be energrounded metal box to prevent accidental contact An insulating grommet is required at the point where any No exposed live circuits over 36 volts are allowed. There must be an accessible, clearly visible on/off switch.	Volt, At be Ulanclosu adequargized y wire	isconnected or switched off. AC single phase, 60 Hz. L-listed, in good condition, and unmodified. The must be non-combustible. All external non-current atteinsulation. Over-current safety devices (ex: fuses) The must be shielded with a non-conducting material or with a control or cable enters any enclosure. The means of quickly disconnecting from power source.		
Note Note	ECTRICAL REGULATIONS Example: when exhibitor is not at display, all electrical power must be project is standard 120. Power strips/surge protectors and extension cords must be lectrical devices must be protectively enclosed. Any encarrying metal parts must be grounded. Energized wiring, switches, and metal parts must have a must be inaccessible to anyone other than the exhibitor. Exposed electrical equipment or metal that may be energrounded metal box to prevent accidental contact An insulating grommet is required at the point where any No exposed live circuits over 36 volts are allowed. There must be an accessible, clearly visible on/off switch services.	Volt, At be Ulanclosu adequate rgized h or o	isconnected or switched off. AC single phase, 60 Hz. L-listed, in good condition, and unmodified. The must be non-combustible. All external non-current atteinsulation. Over-current safety devices (ex: fuses) The must be shielded with a non-conducting material or with a control or cable enters any enclosure. The means of quickly disconnecting from power source.		
Note I	ECTRICAL REGULATIONS : when exhibitor is not at display, all electrical power must Electrical power supplied to the project is standard 120 or power strips/surge protectors and extension cords must Electrical devices must be protectively enclosed. Any encarrying metal parts must be grounded. Energized wiring, switches, and metal parts must have a must be inaccessible to anyone other than the exhibitor. Exposed electrical equipment or metal that may be energrounded metal box to prevent accidental contact An insulating grommet is required at the point where any No exposed live circuits over 36 volts are allowed. There must be an accessible, clearly visible on/off switces any Class 1, 2, 3A, or 3R lasers are allowed to be used Laser beams may not pass through magnifying optics so	Volt, And the Ulanclosu adequates and the Ulanclosu	isconnected or switched off. AC single phase, 60 Hz. L-listed, in good condition, and unmodified. The must be non-combustible. All external non-current atteinsulation. Over-current safety devices (ex: fuses) The must be shielded with a non-conducting material or with a control or cable enters any enclosure. The means of quickly disconnecting from power source.		
Note Note	ECTRICAL REGULATIONS : when exhibitor is not at display, all electrical power must Electrical power supplied to the project is standard 120. Power strips/surge protectors and extension cords must Electrical devices must be protectively enclosed. Any ercarrying metal parts must be grounded. Energized wiring, switches, and metal parts must have a must be inaccessible to anyone other than the exhibitor. Exposed electrical equipment or metal that may be energrounded metal box to prevent accidental contact An insulating grommet is required at the point where any No exposed live circuits over 36 volts are allowed. There must be an accessible, clearly visible on/off switces ER/LASER POINTER REGULATIONS Any Class 1, 2, 3A, or 3R lasers are allowed to be used Laser beams may not pass through magnifying optics so Lasers must be labeled by the manufacturer so that power strips.	Volt, And the Ulanclosu adequates and the Ulanclosu	isconnected or switched off. AC single phase, 60 Hz. L-listed, in good condition, and unmodified. The must be non-combustible. All external non-current atteinsulation. Over-current safety devices (ex: fuses) The must be shielded with a non-conducting material or with a contract or cable enters any enclosure. The means of quickly disconnecting from power source. PONSIBLY. No other lasers are allowed. The microscopes and telescopes.		